For Research Use Only

Anti-Human CD11c (3.9)

Catalog Number: 65086-1-lg



Purification Method:

Affinity purification

CloneNo.:

Basic Information

Catalog Number:

65086-1-lg

Size:

100ug, 0.5 mg/ml

Source: Mouse Isotype:

IgG1, kappa

GenBank Accession Number: BC038237

GeneID (NCBI):

3687

ENSEMBL Gene ID:

ENSG00000140678 UNIPROT ID: P20702

Full Name:

integrin, alpha X (complement component 3 receptor 4 subunit)

Calculated MW: 1169 aa, 129 kDa

Applications

Tested Applications:

FC

Species Specificity:

Human

Background Information

Integrins are cell adhesion receptors that are heterodimers composed of non-covalently associated α and β subunits (PMID: 9779984). CD11c, also known as integrin α X, is a type I transmembrane glycoprotein present on a variety of cells, including monocytes/macrophages, granulocytes, a subset of B cells, NK cells and dendritic cells (PMID: 2897326; 1680915; 1694698; 17389580). As a result of its high level of expression on most dendritic cells, CD11c is typically considered to be a marker of conventional dendritic cells (PMID: 27119555). CD11c forms an α / β heterodimer with CD18 (integrin β 2). CD11c/CD18 acts a receptor for fibrinogen and is important in monocyte adhesion and chemotaxis (PMID: 1671533).

Storage


Storage:

Store at 2-8°C. Stable for one year after shipment.


Storage Buffer:

PBS with 0.09% sodium azide.

Selected Validation Data



1X10^6 human PBMCs were surface stained with 0.2 ug Anti-Human CD11c (65086-1-lg, Clone:3.9) labeled with FlexAble Coralite® Plus 647 Antibody Labeling Kit for Mouse IgG1 (KFA023) (red) or unstained. Cells were not fixed. Monocytes were gated.



1X10^6 human PBMCs were surface stained with 0.2 ug Anti-Human CD11c (65086-1-1g, Clone:3.9) labeled with FlexAble Coralite® Plus 647 Antibody Labeling Kit for Mouse IgG1 (KFA023) or unstained. Cells were not fixed. Monocytes were gated.