For Research Use Only

Anti-Human CD16 (3G8)

Catalog Number:65090-1-Ig

proteintech®
Antibodies | ELISA kits | Proteins
www.ptglab.com

Basic Information

Catalog Number:
65090-1-Ig

Concentration:
100ug, 0.5 mg/ml

Source:
Mouse

Isotype:
IgG1, kappa

GenBank Accession Number:
BC017865

GeneID (NCBI):
2214

ENSEMBL Gene ID:
ENSG00000203747

UNIPROT ID:
P08637

Full Name:
Fc fragment of IgG, low affinity IIIa, receptor (CD16a)

Calculated MW:
254 aa, 29 kDa

Purification Method:
Protein G purification

CloneNo.:
3G8

Recommended Dilutions:
FC: 0.2 ug per 10^6 cells in 100 μl suspension

Applications

Tested Applications:
FC

Species Specificity:
human

Positive Controls:

FC : human PBMCs,

Background Information

CD16 is a 50-70-kDa low affinity Fc receptor found on the surface of natural killer cells, neutrophil polymorphonuclear leukocytes, monocytes and macrophages. CD16 mediates antibody-dependent cellular cytotoxicity (ADCC) and other antibody-dependent responses, such as phagocytosis. CD16 has been identified as Fc receptors Fc γ RIIIa (CD16a) and Fc γ RIIIb (CD16b), encoded by two nearly identical genes, FCGR3A and the FCGR3B. Clone 3G8 recognizes both the CD16a and CD16b (PMID: 7592758).

Storage

Storage:
Store at 2-8°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.09% sodium azide, pH7.3

For technical support and original validation data for this product please contact:
T: 4006900926 E: Proteintech-CN@ptglab.com W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



1X10^6 human PBMCs were surface co-stained with FITC Anti-Human CD3 and 0.2 ug Anti-Human CD16 (65090-1-Ig, Clone:3G8) and APC-Goat anti-Mouse IgG at dilution 1:1000. Cells were not fixed. Lymphocytes were gated.



1X10^6 human PBMCs were surface stained with 0.2 ug Anti-Human CD16 (65090-1-Ig, Clone:3G8) and APC-Goat anti-Mouse IgG at dilution 1:1000. Cells were not fixed. Lymphocytes were gated.