For Research Use Only

Anti-Mouse TCR beta (H57-597)


Catalog Number:65106-1-lg



Basic Information	Catalog Number: 65106-1-lg	GenBank Accession Number:	Purification Method: Affinity purification
	Size: 100ug, 0.5 mg/ml Source: Armenian Hamster Isotype: IgG	GenelD (NCBI): 21577 Full Name: T-cell receptor beta chain	CloneNo.: H57-597
Applications	Tested Applications: FC Species Specificity: Mouse		
Background Information	T-cell receptor (TCR) consists of heterodimeric glycoproteins (TCR alpha/beta or gamma/delta) that demonstrate homology with immunoglobulins (PMID: 2144901). TCR beta is a member of the immunoglobulin superfamily and is expressed on alpha/beta TCR-bearing T cells and thymocytes. The TCR heterodimers are noncovalently associated with CD3. The TCR/CD3 complex of T-lymphocytes consists of either a TCR alpha/beta or TCR gamma/delta heterodimer coexpressed at the cell surface with the invariant subunits of CD3 labeled gamma, delta, epsilon, zeta, and eta (PMID: 1826255). The TCR recognition is transmitted to the CD3 complex, leading to the intracellular signal transduction (PMID: 11985657).		
Storage	Storage: Store at 2-8°C. Storage Buffer: Phosphate based buffer with 0.09%	sodium azide, pH 7.2.	

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



1X10^6 mouse splenocytes were surface stained with 0.5 ug Anti-Mouse TCR beta (65106-1-1g, Clone:H57-597) and FITC Goat anti-hamster (Armenian) IgG Antibody at dilution 1:200 (green), or stained with 0.5 ug isotype control antibody and FITC Goat anti-hamster (Armenian) IgG Antibody at dilution 1:200 (black). Cells were not fixed.