For Research Use Only

Anti-Human CD8a (Hit8a)

Catalog Number:65113-1-Ig





Basic Information	Catalog Number: 65113-1-lg	GenBank Accession Number: BC025715	Purification Method: Affinity purification
	Size: 100ug, 0.5 mg/ml	GenelD (NCBI): 925	CloneNo.: Hit8a
	Source: Mouse	ENSEMBL Gene ID: ENSG00000153563	
	lsotype: IgG1, kappa	UNIPROT ID: P01732	
		Full Name: CD8a molecule	
		Calculated MW: 235 aa, 26 kDa	
Applications	Tested Applications: FC		
	Species Specificity: Human		
Background Information	CD8 is a transmembrane glycoprotein composed of two disulfide-linked chains. It can be present as a homodimer of CD8 α or as a heterodimer of CD8 α and CD8 β (PMID: 3264320; 8253791). CD8 is found on most thymocytes. The majority of class I-restricted T cells express mostly the CD8 α β heterodimer while CD8 α homodimers alone have been found on some gut intraepithelial T cells, on some T cell receptor (TCR) γ δ T cells and on NK cells (PMID: 2111591; 1831127; 8420975). CD8 acts as a co-receptor that binds to MHC class-I and participates in cytotoxic T cell activation (PMID: 8499079). During T cell development, CD8 is required for positive selection of CD4-/CD8+T cells (PMID: 1968084).		
Storage	Storage: Store at 2-8°C. Stable for one Storage Buffer:	year after shipment.	

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





1X10^6 human PBMCs were surface co-stained with Atlantic Blue™ Anti-Human CD3 and 0.2 ug Anti-Human CD8a (65113-1-lg, Clone:Hit8a) and CoraLite®594-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L) at dilution 1:1000. Cells were not fixed. Lymphocytes were gated.

1X10^6 human PBMCs were surface stained with 0.2 ug Anti-Human CD8a (65113-1-1g, Clone:Hit8a) and CoraLite®594-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L) at dilution 1:1000. Cells were not fixed. Lymphocytes were gated.