For Research Use Only Anti-Human CD206 (15-2)

Catalog Number:65155-1-lg




Basic Information	Catalog Number: 65155-1-1g Concentration: 100ug, 0.5 mg/ml Source: Mouse Isotype: IgG1, kappa	GenBank Accession Number: NM_002438 GeneID (NCBI): 4360 UNIPROT ID: P22897 Full Name: mannose receptor, C type 1	Purified by protein-A affinity chromatography CloneNo.: 15-2				
				Calculated MW: 166 kDa			
				Applications	Tested Applications: FC		
					Species Specificity: human		
		Background Information		CD206, also named as MMR, CLEC 13D and MRC 1, is a type I membrane receptor that mediates the endocytosis of glycoproteins by macrophages. CD206 has been shown to bind high-mannose structures on the surface of potentially pathogenic viruses, bacteria, and fungi so that they can be neutralized by phagocytic engulfment. CD206 is a 170 kDa transmembrane protein which contains 5 domains: an amino-terminal cysteine-rich region, a fibronectin type II repeat, a series of eight tandem lectin-like carbohydrate recognition domains (responsible for the recognition of mannose and fucose), a transmembrane domain, and an intracellular carboxy-terminal tail. It is expressed on most tissue macrophages, in vitro derived dendritic cells, lymphatic and sinusoidal endothelia.			
Storage	Storage: Store at 2-8°C. Stable for one y Storage Buffer: PBS with 0.09% sodium azide,	·					

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



1x10^6 GM-CSF treated human PBMCs were surface stained with 0.25 ug Anti-Human CD206 (15-2) (65155-1-lg, Clone: 15-2) (red) or 0.25 ug Mouse IgG1 Isotype Control (MOPC-21) (65124-1-lg, Clone: MOPC-21) (blue), and PE-conjugated Goat Anti-Mouse IgG. 1x10^6 untreated human PBMCs were surface stained with 0.25 ug Anti-Human CD206 (15-2) (65155-1-lg, Clone: 15- 2) (black, dashed) and PE-conjugated Goat Anti-Mouse IgG. Cells were not fixed.