## For Research Use Only

## Anti-Human MICA/MICB (6D4)

Catalog Number:65161-1-lg 3 Publications





Basic Information	Catalog Number: GenBank Accession Number: 65161-1-lg BC016929		Purification Method: Purified by protein-A affinity	
	Size:	GenelD (NCBI): 100507436 UNIPROT ID: Q29983		chromatography CloneNo.: 6D4
	100ug, 0.5 mg/mL			
	Source: Mouse			
	Isotype: Full Name: IgG2a, kappa MHC class I polypeptide-relate sequence A Calculated MW: 383 aa, 43 kDa		I polypeptide-related	
Applications	Tested Applications: FC			
	Cited Applications: WB			
	Species Specificity: Human			
	Cited Species: human			
Background Information	Human MHC class I chain-related genes located within the HLA class I region of chromosome 6 encode MHC class I chain-related A and B (MICA and MICB) (PMID: 11429322). MICA and MICB are stress-inducible surface molecules that are not associated with $\beta$ 2-microglobulin and do not present peptides (PMID: 9497295). They are expressed in intestinal epithelium and many epithelial tumors (PMID: 10359807). MICA and MICB are ligands for NKG2D which i an activating receptor that is expressed on most natural killer (NK) cells, CD8 $\alpha$ $\beta$ T cells, and $\gamma$ $\delta$ T cells (PMID: 10426993; 11491531). The monoclonal antibody 6D4 recognizes MICA and MICB.			
Notable Publications	Author	Pubmed ID	Journal	Application
	Fei Liu	36497344	Cancers (Basel)	WB
	Yang Wang	32349046	J Immunother	WB
	Hui-Yang Wu	34999394	Int Immunopharmac	ol WB
Storage	Storage: Store at 2-8°C. Stable for on Storage Buffer: PBS with 0.09% sodium azi		t.	

For technical support and original validation data for this product please contact: E: Proteintech-CN@ptglab.com T: 4006900926 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data





1X10<sup>^</sup>6 HeLa cells were surface stained with 0.2 ug Anti-Human MICA/MICB (65161-1-Ig, Clone: 6D4) or Mouse IgG2a Isotype Control and CoraLite®594-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L) at dilution 1:1000. Cells were not fixed.

1X10^6 HeLa cells were surface stained with 0.2 ug Anti-Human MICA/MICB (65161-1-Ig, Clone: 6D4) or Mouse IgG2a Isotype Control and CoraLite®594-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L) at dilution 1:1000. Cells were not fixed.