For Research Use Only

Anti-Human CD68 (Y1/82A)

Catalog Number:65187-1-lg 8 Publications



Purification Method:

Protein A purification

Recommended Dilutions:

IF/ICC 1:200-1:800

CloneNo.:

Y1/82A

Basic Information

Catalog Number:

65187-1-lg

Size:

100ug, 0.5 mg/mL

Source: Mouse

Isotype: IgG2b, kappa GenBank Accession Number:

BC015557 GeneID (NCBI):

968

UNIPROT ID: P34810

Full Name: CD68 molecule

Calculated MW: 37 kDa

Positive Controls:

IF/ICC: THP-1 cells,

Applications

Tested Applications: IF/ICC, FC (Intra) Cited Applications: WB, IHC, IF Species Specificity:

human
Cited Species:
human

Background Information

CD68 is a type I transmembrane glycoprotein that is highly expressed by human monocytes and tissue macrophages. It belongs to the lysosomal/endosomal-associated membrane glycoprotein (LAMP) family and primarily localizes to lysosomes and endosomes with a smaller fraction circulating to the cell surface. CD68 is also a member of the scavenger receptor family. It may play a role in phagocytic activities of tissue macrophages.

Notable Publications

Author	Pubmed ID	Journal	Application
Gui-Lin Jin	36215787	Phytomedicine	IF
Qiuyuan Shao	34749292	Int Immunopharmacol	
Xianzhi Liu	35849032	Hepatology	IF

Storage


Storage:

Store at 2-8°C. Stable for one year after shipment.


Storage Buffer:

PBS with 0.09% sodium azide.

Selected Validation Data



1X10^6 human PBMCs were intracellularly stained with 0.2 ug Anti-Human CD68 (65187-1-1g, Clone:Y1/82A) and CoraLite® 594-Conjugated Affini Pure Goat Anti-Mouse IgG(H+L) at dilution 1:1000 or unstained. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C). Monocytes were gated.



Immunofluorescent analysis of (4% PFA) fixed THP-1 cells using CD68 antibody (65187-1-lg, Clone: Y1/82A) at dilution of 1:400 and CoraLite®488-Conjugated Affini Pure Goat Anti-Mouse IgG(H+L).