For Research Use Only

Anti-Rat CD80 (3H5)

Catalog Number:65217-1-Ig



Basic Information

Catalog Number:

65217-1-lg

Size:

100ug, 0.5 mg/ml

Source: Mouse Isotype:

IgG1, kappa

UNIPROT ID: G3V671 Full Name: Cd80 molecule Calculated MW:

36 kDa

25408

GenBank Accession Number:

XM_017597885

GeneID (NCBI):

Purification Method: Protein G purification

CloneNo.: 3H5

Applications

Tested Applications:

FC

Species Specificity:

Rat

Background Information

CD80 (also known as B7-1) is a type I membrane protein that is a member of the immunoglobulin superfamily, with an extracellular immunoglobulin constant-like domain and a variable-like domain required for receptor binding. It is expressed on antigen-presenting cells (APCs), including B cells, dendritic cells, monocytes, and macrophages. CD80 is the receptor for the proteins CD28 and CTLA-4 found on the surface of T-cells. It is involved in the costimulatory signal essential for T-lymphocyte activation. T-cell proliferation and cytokine production is induced by the binding of CD28, binding to CTLA-4 has opposite effects and inhibits T-cell activation. CD80 also acts as a cellular attachment receptor for adenovirus subgroup B. (PMID: 7545666; 12015893; 16920215)

Storage


Storage:

Store at 2-8°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.09% sodium azide.

Selected Validation Data



1X10^6 unstimulated (dashed) or LPS-stimulated Wistar rat splenocytes were surface stained with 1 ug Anti-Rat CD80 (65217-1-Ig, Clone:3H5) and FITC anti-Mouse IgG1 Antibody at dilution 1:100 (red), or 1 ug Control Antibody. Cells were not fixed.