For Research Use Only

Anti-Human CD226 (11A8)

Catalog Number:65247-1-Ig





Basic Information	Catalog Number: 65247-1-lg	GenBank Accession Number: BC074787	Purification Method: Affinity purification
	Size: 100ug, 0.5 mg/ml	Genel D (NCBI): 10666	CloneNo.: 11A8
	Source: Mouse	ENSEMBL Gene ID: ENSG00000150637	
	lsotype: IgG1, kappa	UNIPROT ID: Q15762	
		Full Name: CD226 molecule	
		Calculated MW: 336 aa, 39 kDa	
Applications	Tested Applications: FC, ELISA		
	Species Specificity: Human		
Background Information	CD226 (DNAM-1) is a ~65 kDa glycoprotein expressed on the surface of NK cells, platelets, monocytes and a subset of T cells. It is a member of the Ig-superfamily containing 2 Ig-like domains of the V-set. CD226 mediates cellular adhesion of platelets and megakaryocytic cells to vascular endothelial cells. The protein also plays a role in megakaryocytic cell maturation. Interactions of CD226 and its ligands, CD155 and CD112, induce NK and T cell-mediated cytotoxicity and cytokine secretion (PMID: 15039383).		
Storage	Storage: Store at 2-8°C. Stable for one Storage Buffer: PBS with 0.09% sodium azide		

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





1X10[^]6 human PBMCs were surface co-stained with FITC Anti-Human CD3 and 0.2 ug Anti-Human CD226 (65247-1-1g, Clone:11A8) and APC-Goat anti-Mouse IgG at dilution 1:1000. Cells were not fixed. Lymphocytes were gated.

1X10[^]6 human PBMCs were surface stained with 0.2 ug Anti-Human CD226 (65247-1-Ig, Clone:11A8) and APC-Goat anti-Mouse IgG at dilution 1:1000. Cells were not fixed. Lymphocytes were gated.