For Research Use Only

Anti-Human ICAM-1/CD54 (15.2) Mouse IgG2a Recombinant Antibody

Catalog Number: 65567-1-MR



Basic Information

Catalog Number:

65567-1-MR

Size:

100ug, 1000 ug/ml

Source: Mouse

lgG2a

Isotype:

Calculated MW:

GenBank Accession Number:

intercellular adhesion molecule 1

90 kDa

BC015969

3383

GeneID (NCBI):

ENSEMBL Gene ID:

ENSG00000090339 Full Name:

Purification Method: Protein A purification

CloneNo.: 15.2

Applications

Tested Applications:

Species Specificity:

human

Background Information

ICAM-1 (CD54) is a 90-kDa transmembrane glycoprotein of the immunoglobulin superfamily and is critical for the firm attachment and transmigration of leukocytes out of blood vessels and into tissues (PMID: 19307690). ICAM-1 is expressed by several cell types, typically on endothelial cells and cells of the immune system, and its expression can be up-regulated by various stimuli, including TNF- α , INF- γ , IL-1 and thrombin (PMID: 3086451; 9694714; 15979056). It is a ligand for LFA-1 and Mac-1, serves as a receptor for rhinovirus, and is one of several receptors used by Plasmodium falciparum (PMID: 2566624; 2538244; 2475784).


Storage

Store at 2-8°C. Stable for one year after shipment.


Storage Buffer:

PBS with 0.09% sodium azide.

Selected Validation Data



1x10^6 human PBMCs were surface stained with 0.25 ug Anti-Human CD54 Mouse IgG2a Recombinant Antibody (65567-1-MR, Clone:15.2) or Mouse IgG2a Isotype Control (65208-1-Ig, Clone: C1.18.4), and CoraLite® 488-Conjugated AffiniPure Donkey Anti-Mouse IgG(H+L). Cells were then stained with CoraLite® Plus 647 Anti-Human CD3. Cells were not fixed. Lymphocytes were gated.



1x10^6 human PBMCs were surface stained with 0.25 ug Anti-Human CD54 Mouse IgG2a Recombinant Antibody (65567-1-MR, Clone:15.2) (red) or Mouse IgG2a Isotype Control (65208-1-Ig, Clone: C1.18.4) (blue), and CoraLite®488-Conjugated AffiniPure Donkey Anti-Mouse IgG(H+L). Cells were not fixed. Lymphocytes were gated.