

For Research Use Only

# Anti-Rat CD80 (3H5) Mouse IgG2a Recombinant Antibody, PBS Only

Catalog Number: 65580-1-PBS



## Basic Information

Catalog Number:

65580-1-PBS

Concentration:

1mg, 2 mg/ml

Source:

Mouse

Isotype:

IgG2a

GenBank Accession Number:

XM\_017597885

GeneID (NCBI):

25408

Full Name:

Cd80 molecule

Calculated MW:

36 kDa

Purification Method:

Protein A purification

CloneNo.:

3H5

## Applications

Tested Applications:

FC

Species Specificity:

rat

## Background Information

CD80 (also known as B7-1) is a type I membrane protein that is a member of the immunoglobulin superfamily, with an extracellular immunoglobulin constant-like domain and a variable-like domain required for receptor binding. It is expressed on antigen-presenting cells (APCs), including B cells, dendritic cells, monocytes, and macrophages. CD80 is the receptor for the proteins CD28 and CTLA-4 found on the surface of T-cells. It is involved in the costimulatory signal essential for T-lymphocyte activation. T-cell proliferation and cytokine production is induced by the binding of CD28, binding to CTLA-4 has opposite effects and inhibits T-cell activation. CD80 also acts as a cellular attachment receptor for adenovirus subgroup B. (PMID: 7545666; 12015893; 16920215)

## Storage

Storage:

Store at -80°C.

**The product is shipped with ice packs. Upon receipt, store it immediately at -80°C**

Storage Buffer:

PBS Only

For technical support and original validation data for this product please contact:



T: 4006900926

E: [Proteintech-CN@ptglab.com](mailto:Proteintech-CN@ptglab.com)

W: [ptgcn.com](http://ptgcn.com)

**This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.**

## Selected Validation Data



1x10<sup>6</sup> unstimulated or LPS-stimulated rat splenocytes were surface stained with 0.25 ug Anti-Rat CD80/B7-1 Mouse IgG2a Recombinant Antibody (65580-1-MR, Clone: 3H5) and PE-Conjugated Goat Anti-Mouse IgG. Cells were then stained with CoraLite® Plus 647 Anti-Rat CD45RA. Cells were not fixed. This data was developed using the same antibody clone with 65580-1-PBS in a different storage buffer formulation.

1x10<sup>6</sup> LPS-stimulated rat splenocytes were surface stained with 0.25 ug Anti-Rat CD80/B7-1 Mouse IgG2a Recombinant Antibody (65580-1-MR, Clone: 3H5) (red) or Mouse IgG2a Isotype Control (65208-1-Ig, Clone: C1.18.4) (blue) and PE-Conjugated Goat Anti-Mouse IgG. 1x10<sup>6</sup> unstimulated rat splenocytes were surface stained with 0.25 ug Anti-Rat CD80/B7-1 Mouse IgG2a Recombinant Antibody (65580-1-MR, Clone: 3H5) (black, dashed) and PE-Conjugated Goat

