For Research Use Only

Anti-Mouse MHC Class II (I-A/I-E) (M5/114.15.2) Rat IgG2a Recombinant Antibody, PBS Only



Purification Method:

Protein A purification

CloneNo.:

M5/114.15.2

Catalog Number:65663-1-PBS

Basic Information

Catalog Number: 65663-1-PBS Concentration: 1mg, 2 mg/ml

Source:

Isotype: IgG2a GenBank Accession Number:

BC031711 GeneID (NCBI): 14960 Full Name:

histocompatibility 2, class II antigen

A, alpha

Applications

Tested Applications:

FC

Species Specificity:

mouse

Background Information

Major histocompatibility complex (MHC) class II molecules are heterodimeric transmembrane glycoproteins that are expressed on the surface of antigen-presenting cells such as dendritic cells, macrophages, and B cells. The M5/114.15.2 antibody detects polymorphic determinants present on B cells, monocytes, macrophages, dendritic cells, and activated T lymphocytes from mice carrying the H-2b, H-2d, H-2q, H-2q, H-2r and H-2u haplotypes but not from mice carrying the H-2s or H-2f haplotypes (PMID: 6170707). This antibody recognizes both I-A and I-E subregion-encoded Ia glycoproteins (I-Ab, I-Ad, I-Ed, I-Ed, I-Ed, I-K, or I-As). M5/114 antibody is reported to inhibit I-A subregion-restricted T cell responses of the H-2b, H-2d, H-2q, H-2u but not the H-2f, H-2k, H-2s haplotypes (PMID: 6173436).

Storage


Storage:

Store at -80°C.


The product is shipped with ice packs. Upon receipt, store it immediately at -80°C Storage Buffer.

PBS only, pH7.3

Selected Validation Data



1x10^6 mouse splenocytes were surface stained with 0.5 ug Anti-Mouse MHC Class II (I-A/I-E) (M5/114.15.2) Rat IgG2a RecAb (65663-1-TR, Clone: M5/114.15.2) or Rat IgG2a Isotype Control (2A3) (65209-1-Ig, Clone: 2A3), and FITC anti-Rat IgG2a antibody. Cells were then stained with Coralite® Plus 647 Anti-Mouse CD3 © (145-2C11) (Cl647-65060, Clone: 145-2C11). Cells were not fixed. This data was developed using the same antibody clone with 65663-1-PBS in a different storage



65663-1-TR MHC Class II(M5/114 15 2) FITC-

1x10^6 mouse splenocytes were surface stained with 0.5 ug Anti-Mouse MHC Class II (I-A/I-E) (M5/114.15.2) Rat IgG2a RecAb (65663-1-TR, Clone: M5/114.15.2) (red) or Rat IgG2a Isotype Control (2A3) (65209-1-Ig, Clone: 2A3) (blue), and FITC anti-Rat IgG2a antibody. Cells were not fixed. This data was developed using the same antibody clone with 65663-1-PBS in a different storage buffer formulation.