For Research Use Only

GEFT Monoclonal antibody

Catalog Number:66012-1-lg 1 Publications



Basic Information

Applications

Catalog Number: 66012-1-lg

Size: 1340 μ g/ml Source: Mouse Isotype:

IgG2a Immunogen Catalog Number:

AG10819

Tested Applications: IHC, WB,ELISA Cited Applications:

WB

Species Specificity:

human, mouse, rat, pig, rabbit

Cited Species:

human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

GenBank Accession Number:

BC012860 GeneID (NCBI): 115557 **UNIPROT ID:**

Q86VW2 Full Name:

Calculated MW:

64 kDa Observed MW: 53 kDa, 63 kDa

RhoA/RAC/CDC42 exchange factor

WB: mouse skeletal muscle tissue, human brain tissue, mouse brain tissue, rat brain tissue, rat skeletal

Purification Method:

Protein A purification

Recommended Dilutions:

WB 1:500-1:2000 IHC 1:20-1:200

CloneNo.:

5A11F8

muscle tissue

IHC: human heart tissue, human brain tissue

Background Information

GEFT, also named as p63RhoGEF, may play a role in actin cytoskeleton reorganization in different tissues since its activation induces formation of actin stress fibers. It works as a guanine nucleotide exchange factor for Rho family of small GTPases. GETF links specifically G alpha q/11-coupled receptors to RHOA activation. GEFT may be an important regulator of processes involved in axon and dendrite formation. In neurons seems to be an exchange factor primarily for RAC1. It is involved in skeletal myogenesis. GEFT is expressed as three isoforms (64, 53 and

Notable Publications

Author	Pubmed ID	Journal	Application
Behnoush Khaledian	33370472	Cancer Sci	WB

Storage


Storage:

Store at -20°C. Stable for one year after shipment.


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



mouse skeletal muscle tissue were subjected to SDS PAGE followed by western blot with 66012-1-Ig (GEFT antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human heart using 66012-1-lg(GEFT antibody) at dilution of 1:50 (under 10x lens).



Immunohistochemical analysis of paraffinembedded human heart using 66012-1-lg(GEFT antibody) at dilution of 1:50 (under 40x lens).