For Research Use Only

ASS1 Monoclonal antibody

Catalog Number:66036-1-lg Featured Product

4 Publications

BC009243

GeneID (NCBI):

UNIPROT ID:

Full Name:

Calculated MW:

P00966

GenBank Accession Number:

argininosuccinate synthetase 1



Basic Information

Catalog Number: 66036-1-lg

Isotype:

Size: 1300 µg/ml Source: Mouse

lgG1

Immunogen Catalog Number: AG9314

412 aa, 47 kDa Observed MW:

40-45 kDa

Purification Method:

Protein G purification CloneNo.:

1D1A11 Recommended Dilutions: WB 1:1000-1:8000 IHC 1:250-1:1000

IF/ICC 1:20-1:200

Applications

Tested Applications: IF/ICC, IHC, WB, ELISA Cited Applications:

WB

Species Specificity: human, pig **Cited Species:** human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: pig liver tissue, HeLa cells, human liver tissue,

LO2 cells

IHC: human liver tissue, human liver cancer tissue,

human testis tissue IF/ICC: MCF-7 cells.

Background Information

ASS1 is a rate-limiting enzyme in the urea cycle. Citrullinemia type I is an autosomal recessive disorder that is caused by a deficiency of the urea cycle enzyme argininosuccinate synthetase (ASS1). Deficiency of ASS1 shows various clinical manifestations encompassing severely affected patients with fatal neonatal hyperammonemia as well as asymptomatic individuals with only a biochemical phenotype (PMID:19006241).

Notable Publications

Author	Pubmed ID	Journal	Application
Jiangbo Liu	25240403	BMC Cancer	WB
Mei-Juan Tu	33051382	Mol Pharmacol	WB
Qingyuan Feng	32677906	BMC Cancer	WB

Storage

Store at -20°C. Stable for one year after shipment.

Storage Buffer

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




Immunofluorescent analysis of MCF-7 cells, using ASS1 antibody 66036-1-Ig at 1:50 dilution and Rhodamine-labeled goat anti-mouse IgG (red).



pig liver tissue were subjected to SDS PAGE followed by western blot with 66036-1-1g (ASS1 Antibody) at dilution of 1:4000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human liver tissue slide using 66036-1-Ig (ASS1 Antibody) at dilution of 1:500 (under 10x lens).



Immunohistochemical analysis of paraffinembedded human liver tissue slide using 66036-1-Ig (ASS1 Antibody) at dilution of 1:500 (under 40x lens).