

LPCAT1 Monoclonal antibody

Catalog Number: 66044-1-Ig

Featured Product

9 Publications

Basic Information

Catalog Number:

66044-1-Ig

Size:

1000 µg/ml

Source:

Mouse

Isotype:

IgG2b

Immunogen Catalog Number:

AG9060

GenBank Accession Number:

BC020166

GeneID (NCBI):

79888

UNIPROT ID:

Q8NF37

Full Name:

lysophosphatidylcholine
acyltransferase 1

Calculated MW:

534 aa, 59 kDa

Observed MW:

55 kDa

Purification Method:

Protein A purification

CloneNo.:

8B6E9

Recommended Dilutions:

WB 1:5000-1:50000

IHC 1:50-1:500

IF-P 1:200-1:800

IF/ICC 1:400-1:1600

Applications

Tested Applications:

WB, IHC, IF/ICC, IF-P, ELISA

Cited Applications:

WB, IHC, IF

Species Specificity:

human, mouse, rat

Cited Species:

human, mouse, rat

**Note-IHC: suggested antigen retrieval with
TE buffer pH 9.0; (*) Alternatively, antigen
retrieval may be performed with citrate
buffer pH 6.0**

Positive Controls:

WB: LNCaP cells, MCF-7 cells, PC-12 cells, ROS1728 cells, HeLa cells, HEK-293 cells, HepG2 cells, Jurkat cells, K-562 cells, HSC-T6 cells, NIH/3T3 cells, 4T1 cells

IHC: human lung cancer tissue, human liver cancer tissue

IF-P: mouse lung tissue,

IF/ICC: HeLa cells,

Background Information

LPCAT1, also named as AYL2, PFAAP3 and LysoPAFAT, belongs to the 1-acyl-sn-glycerol-3-phosphate acyltransferase family. It is a key enzyme for remodeling phospholipids, including phosphatidylcholine. The expression level of LPCAT1 is able to differentiate prostate cancer from noncancerous prostatic changes, and correlates to the tumor grade of prostate cancer. LPCAT1 possesses both acyltransferase and acetyltransferase activities. It mediates the conversion of 1-acyl-sn-glycero-3-phosphocholine (LPC) into phosphatidylcholine (PC).

Notable Publications

Author	Pubmed ID	Journal	Application
Mingyue Tao	34518524	Cell Death Dis	WB, IF, IHC
Shotaro Yamano	36056156	Sci Rep	IHC
Yufei Liu	34221998	Front Oncol	IHC, WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


For technical support and original validation data for this product please contact:

T: 4006900926


E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 66044-1-Ig (LPCAT1 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated GAPDH Monoclonal antibody (HRP-60004) as loading control.




Immunohistochemical analysis of paraffin-embedded human lung cancer tissue slide using 66044-1-Ig (LPCAT1 Antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded human lung cancer tissue slide using 66044-1-Ig (LPCAT1 Antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed mouse lung tissue using LPCAT1 antibody (66044-1-Ig, Clone: 8B6E9) at dilution of 1:400 and CoraLite® 594-Conjugated Goat Anti-Mouse IgG(H+L), SFTPC antibody (10774-1-AP, green).



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using LPCAT1 antibody (66044-1-Ig, Clone: 8B6E9) at dilution of 1:800 and CoraLite® 488-Conjugated Goat Anti-Mouse IgG(H+L), CL594-Phalloidin (red).