## For Research Use Only

# Serpin C1/Antithrombin III Monoclonal antibody

www.ptglab.com

Catalog Number:66052-1-lg

2 Publications

**Basic Information** 

Catalog Number: 66052-1-lg Size: 1000 ug/ml

Source: Mouse Isotype: lgG1

Immunogen Catalog Number:

AG9880

464 aa, 53 kDa Observed MW:

53 kDa

GenBank Accession Number:

serpin peptidase inhibitor, clade C (antithrombin), member 1

BC022309

GeneID (NCBI):

**UNIPROT ID:** 

Full Name:

Calculated MW:

P01008

**Purification Method:** 

Protein A purification CloneNo.: 2B2E5

Recommended Dilutions: WB 1:2000-1:10000 IHC 1:50-1:500 IF/ICC 1:400-1:1600

**Applications** 

**Tested Applications:** WB, IHC, IF/ICC, ELISA Cited Applications:

Species Specificity: human, mouse, rat **Cited Species:** human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Positive Controls:

WB: human plasma, human brain tissue, human testis

tissue, LO2 cells, rat brain tissue

IHC: human liver cancer tissue, human liver tissue

IF/ICC: HepG2 cells, LO2 cells

# **Background Information**

SERPINC1, also named Antithrombin III or Antithrombin, is a plasma protease inhibitor and a member of the serpin superfamily. This protein inhibits thrombin as well as other activated serine proteases of the coagulation system, and it regulates the blood coagulation cascade. More than 120 mutations have been identified for this gene, many of which are known to cause antithrombin-III deficiency.

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Emna Ouni	35341935	Matrix Biol	IF
Jun Zhang	35992834	Front Oncol	WB

Storage


Storage:

Store at -20°C. Stable for one year after shipment.


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


### **Selected Validation Data**



Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 66052-1-1g (Antithrombin III antibody at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 66052-1-1g (Antithrombin III antibody at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




human plasma were subjected to SDS PAGE followed by western blot with 66052-1-1g (Serpin C1/Antithrombin III antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



LO2 cells were subjected to SDS PAGE followed by western blot with 66052-1-Ig (Antithrombin III antibody at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using Serpin C1/Antithrombin III antibody (66052-1-lg, Clone: 2B2E5) at dilution of 1:200 and CoraLite®488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L), CL594-phalloidin (red).



Immunofluorescent analysis of (-20°C Ethanol ) fixed LO2 cells using 66052-1-1g(Antithrombin III antibody) at dilution of 1:100 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Mouse IgG(H+L).