For Research Use Only

EPLIN Monoclonal antibody

Catalog Number:66071-1-lg

Featured Product

1 Publications

BC001247

51474

Q9UHB6

85 kDa

Full Name:

GeneID (NCBI):

UNIPROT ID:

GenBank Accession Number:

LIM domain and actin binding 1



Basic Information

Catalog Number: 66071-1-lg Size:

1000 ug/ml Source: Mouse Isotype: lgG1

Immunogen Catalog Number:

AG13288

Observed MW:

90 kDa, 110 kDa

Calculated MW:

Purification Method:

Protein A purification

CloneNo.: 6E6E6

Recommended Dilutions: WB 1:2000-1:10000 IHC 1:20-1:200 IF/ICC 1:20-1:200

Applications

Tested Applications: WB, IHC, IF/ICC, ELISA Cited Applications: WB, IHC, IF, CoIP Species Specificity: human, rat

Cited Species: human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: HeLa cells, A431 cells, COLO 320 cells, HEK-293 cells, human brain tissue, HaCaT cells, SCaBER cells, MDA-MB-231 cells, SK-BR-3 cells, HT-29 cells, pig colon tissue, rat colon tissue, HSC-T6 cells, ROS1728 cells

IHC: human heart tissue, IF/ICC: Hela cells,

Background Information

EPLIN is a cytoskeletal protein that is preferentially expressed in epithelial cells and is implicated in regulation of cytoskeletal dynamics and cytokinesis. In human, there are two known isoforms, EPLIN-a and -b, generated by alternative promoter usage from a single gene. EPLIN-a expression is often down-regulated in cancerous cells and tissues. This antibody recognizes both of isoforms of EPLN.

Notable Publications

Author	Pubmed ID	Journal	Application
Shihui Li	38822260	Cell Mol Biol Lett	WB,IHC,IF,CoIP

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data




WB result of EPLIN antibody (66071-1-1g, 1:2000) with si-Control and si-EPLIN transfected HEK293 cells.




Various lysates were subjected to SDS PAGE followed by western blot with 66071-1-1g (EPLIN antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded human heart using 66071-1-lg(EPLIN antibody) at dilution of 1:50 (under 10x lens).



Immunohistochemical analysis of paraffinembedded human heart using 66071-1-lg(EPLIN antibody) at dilution of 1:50 (under 40x lens).



Immunofluorescent analysis of Hela cells using 66071-1-Ig (EPLIN antibody) at dilution of 1:50 and Rhodamine-Goat anti-Mouse IgG.



Various lysates were subjected to SDS PAGE followed by western blot with 66071-1-1g (EPLIN antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours.