## For Research Use Only

## Alpha 1 antichymotrypsin Monoclonal antibody

Catalog Number:66078-1-lg

3 Publications



Basic Information	Catalog Number: 66078-1-lg	GenBank Accession Number: BC010530	Purification Method: Protein A purification	
	Concentration: 1000 ug/ml	GeneID (NCBI): 12	CloneNo.: 3F2F10	
	Source: Mouse	UNIPROT ID: P01011		
	Isotype: IgG2b Immunogen Catalog Number: AG2830	Full Name: serpin peptidase inhibitor, clade A (alpha-1 antiproteinase, antitryps member 3		
		Calculated MW: 448 aa, 48 kDa		
		Observed MW: 60 kDa		
Applications	Tested Applications: WB, IHC, IF-P, ELISA	Positive Co	Positive Controls: WB : human plasma, human colon tissue IHC : human tonsillitis tissue, human liver tissue IF-P : human tonsillitis tissue,	
	Cited Applications:			
	WB, IHC			
	Species Specificity: human, pig			
	Cited Species: human			
	Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0			
Background Information	SerpinA3, is also an inhibitor of n is produced primarily in the liver been associated with liver diseas human diseases including chroni	ulin glycoprotein which increases in the neutrophil cathepsin G, mast cell chyma ; and is identified as an acute-phase inf se. SerpinA3 has also been implicated i	ses and pancreatic chymotrypsin. Serpin lammatory protein. SerpinA3 deficiency n the pathology of a number of devastati ), Parkinson's disease (PD), Alzheimer's	
	SerpinA3, is also an inhibitor of m is produced primarily in the liver been associated with liver diseas human diseases including chroni disease (AD), Stroke, Cystic Fibro	ulin glycoprotein which increases in the neutrophil cathepsin G, mast cell chyma ; and is identified as an acute-phase inf se. SerpinA3 has also been implicated i c obstructive pulmonary disease (COPE	blood during the inflammatory process. ses and pancreatic chymotrypsin. SerpinA lammatory protein. SerpinA3 deficiency l n the pathology of a number of devastatir ), Parkinson's disease (PD), Alzheimer's	
	SerpinA 3, is a loan inhibitor of n is produced primarily in the liver been associated with liver diseas human diseases including chroni disease (AD), Stroke, Cystic Fibro	ulin glycoprotein which increases in the neutrophil cathepsin G, mast cell chyma , and is identified as an acute-phase inf se. SerpinA3 has also been implicated i c obstructive pulmonary disease (COPE ssis, Cerebral Haemorrhage and Multipl	e blood during the inflammatory process. ses and pancreatic chymotrypsin. Serpin/ lammatory protein. SerpinA3 deficiency n the pathology of a number of devastatin ), Parkinson's disease (PD), Alzheimer's e System Atrophy.	
	SerpinA3, is also an inhibitor of m is produced primarily in the liver been associated with liver diseas human diseases including chroni disease (AD), Stroke, Cystic Fibro Author Yanxia Jin	ulin glycoprotein which increases in the neutrophil cathepsin G, mast cell chyma , and is identified as an acute-phase inf se. SerpinA3 has also been implicated i c obstructive pulmonary disease (COPE usis, Cerebral Haemorrhage and Multiple Pubmed ID Journal	e blood during the inflammatory process. ses and pancreatic chymotrypsin. Serpin lammatory protein. SerpinA3 deficiency l n the pathology of a number of devastatir ), Parkinson's disease (PD), Alzheimer's e System Atrophy.	
Background Information	SerpinA3, is also an inhibitor of m is produced primarily in the liver been associated with liver diseas human diseases including chroni disease (AD), Stroke, Cystic Fibro Author Yanxia Jin Yingzi Zhang	ulin glycoprotein which increases in the neutrophil cathepsin G, mast cell chyma , and is identified as an acute-phase inf se. SerpinA3 has also been implicated in c obstructive pulmonary disease (COPE sis, Cerebral Haemorrhage and Multiple Pubmed ID Journal 26908325 Br J Cancer	e blood during the inflammatory process. ses and pancreatic chymotrypsin. Serpin/ lammatory protein. SerpinA3 deficiency in the pathology of a number of devastation ), Parkinson's disease (PD), Alzheimer's a System Atrophy. Application	


This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data


human plasma were subjected to SDS PAGE followed by western blot with 66078-1-Ig (Alpha Antichymotrypsin antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 66078-1-1g (alpha 1 Antichymotrypsin antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 66078-1-Ig (alpha 1 Antichymotrypsin antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed human tonsillitis tissue using 66078-1-1g (alpha 1 Antichymotrypsin antibody) at dilution of 1:100 and CoraLite488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L).