For Research Use Only

FUT8 Monoclonal antibody, PBS Only

Catalog Number:66118-1-PBS

Featured Product



Purification Method:

Protein A purification

CloneNo.:

2F7H2

Basic Information

Catalog Number: 66118-1-PBS

Size: 1mg/ml GenBank Accession Number:

BC025385

GeneID (NCBI):

2530

Source: UNIPROT ID: Mouse Q9BYC5
Isotype: Full Name:

IgG2a fucosyltransferase 8 (alpha (1,6)

Immunogen Catalog Number: fucosyltransferase)
AG18769 Calculated MW:

66 kDa
Observed MW:
66 kDa

Applications

Tested Applications:

WB, IHC, Indirect ELISA Species Specificity:

human

Background Information

Fucosyltransferase 8 (FUT8) is GDP-fucose-glycoprotein fucosyltransferase and is localized in Golgi apparatus. FUT8 is involved in protein glycosylation by catalyzing the addition of fucose in alpha 1-6 linkage to the first GlcNAc residue, next to the peptide chains in N-glycans. FUT8 may be involved in human aging by regulating protein N-glycosylation and in the molecular pathogenesis of human pulmonary emphysema (PE).

Storage


Storage:

Store at -80°C.


The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

Storage Buffer: PBS Only

Selected Validation Data




MDA-MB-231 cells were subjected to SDS PAGE followed by western blot with 66118-1-Ig (FUT8 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 66118-1-PBS in a different storage buffer formulation.



WB result of FUT8 antibody (66118-1-lg; 1:1000; incubated at room temperature for 1.5 hours) with sh-Control and sh-FUT8 transfected MCF-7 cells. This data was developed using the same antibody clone with 66118-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 66118-1-Ig (FUT8 antibody) at dilution of 1:500 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66118-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 66118-1-Ig (FUT8 antibody) at dilution of 1:500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66118-1-PBS in a different storage buffer formulation.