For Research Use Only

IL-27A Monoclonal antibody

Catalog Number:66164-1-lg 1 Publications



Basic Information

Catalog Number: 66164-1-lg

Size: 2100 ug/ml

Source: Mouse

Isotype:

BC062422
GeneID (NCBI):
246778
UNIPROT ID:
Q8NEV9

Full Name:

GenBank Accession Number:

IgG2b interleukin 27
Immunogen Catalog Number: Calculated MW:
AG21436 243 aa, 27 kDa
Observed MW:

31 kDa

Purification Method:

Protein A purification

CloneNo.: 1E1H5

Recommended Dilutions: WB 1:2000-1:2000 IHC 1:20-1:200

Applications

Tested Applications: IHC, WB, ELISA Cited Applications:

IHC

Species Specificity:

human Cited Species:

human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 **Positive Controls:**

WB: Recombinant protein, Ag21436 IHC: human placenta tissue,

Background Information

IL-27, as a member of the IL-6/IL-12 family, is a heterodimeric cytokine composed of two subunits: p28 (IL-27a) and EBI3 (IL-27b). IL-27 acts on various cell types, including T cells, B cells, macrophages, dendritic cells, natural killer (NK) cells and non-hematopoietic cells. IL-27 plays a critical role in the early regulation of T helper type 1 initiation, and enhances proliferation of naive CD4+T cells and naive B cells. It, however, also exerts anti-inflammatory functions by inhibiting the development of Th17 cells and inducing IL-10 producing type 1 regulatory T cells. IL-27 is a potentially promising cytokine for therapeutic approaches on various human diseases.

Notable Publications

Author	Pubmed ID	Journal	Application
Yusuke Shimizu	33419819	Anticancer Res	IHC

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



IL27 fusion protein were subjected to SDS PAGE followed by western blot with 66164-1-1g (IL-27 antibody at dilution of 1:5000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human placenta tissue slide using 66164-1-lg (IL-27 antibody at dilution of 1:50 (under 10x lens).



Immunohistochemical analysis of paraffinembedded human placenta tissue slide using 66164-1-lg (IL-27 antibody at dilution of 1:50 (under 40x lens).