For Research Use Only

CNPY2/MSAP Monoclonal antibody, PBS proteintech® Only www.ptglab.com


Catalog Number:66173-1-PBS


**Featured Product** 

Basic Information	Catalog Number: 66173-1-PBS	GenBank Accession Number: BC065015	Purification Method: Protein A purification
	Concentration: 1mg/ml	GenelD (NCBI): 10330	CloneNo.: 1G8G11
	Source: Mouse	UNIPROT ID: Q9Y2B0	
	lsotype: IgG2b	Full Name: canopy 2 homolog (zebrafish)	
	Immunogen Catalog Number: AG6363	Calculated MW: 21 kDa	
		Observed MW: 18-21 kDa	
Applications	Tested Applications: WB, IHC, IF/ICC, Indirect ELISA		
	Species Specificity: human, mouse, rat, pig		
Background Information	CNPY2, also named as MSAP, TMEM4 and ZSIG9, is a positive regulator of neurite outgrowth. It interacts with the ezrin-radixin-moesin (ERM)-like myosin regulatory light chain-interacting protein (MIR), and the two proteins are co- localized in cell lines and in primary neurons. CNPY2 can stabilize MRLC and thus bring about an increase in neurite outgrowth. (PMID: 12826659) This antibody is specific to CNPY2		
Storage	Storage: Store at -80°C. The product is shipped with ice pa Storage Buffer: PBS Only	cks. Upon receipt, store it immediatel	yat-80℃


For technical support and original validation data for this product please contact: T: 4006900926 E: Proteintech-CN@ptglab.com W: ptgcn.com This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## **Selected Validation Data**





Immunohistochemical analysis of paraffinembedded human pancreas cancer tissue slide using 66173-1-Ig (CNPY2, MSAP antibody at dilution of 1:500 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66173-1-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffinembedded human pancreas cancer tissue slide using 66173-1-Ig (CNPY2, MSAP antibody at dilution of 1:500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66173-1-PBS in a different storage buffer formulation. formulation.


MSAP antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated GAPDH Monoclonal antibody (HRP-60004) as loading control. This data was developed using the same antibody clone with 66173-1-PBS in a different ctorage buffer femulation storage buffer formulation.

followed by western blot with 66173-1-Ig (CNPY2,

Various lysates were subjected to SDS PAGE



Immunofluorescent analysis of (10% Formaldehyde) fixed HepG2 cells using 66173-1-Ig(CNPY2, MSAP antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-mouse IgG(H+L). This data was developed using the same antibody clone with 66173-1-PBS in a different storage buffer formulation.



WB result of CNPY2, MSAP antibody (66173-1-Ig; 1:3000; incubated at room temperature for 1.5 hours) with sh-Control and sh-CNPY2, MSAP transfected HepG2 cells. This data was developed using the same antibody clone with 66173-1-PBS in a different storage buffer formulation.