For Research Use Only

Septin 8 Monoclonal antibody

Catalog Number: 66188-1-Ig



Basic Information

Catalog Number: GenBank Accession Number:

66188-1-lg BC001329 GeneID (NCBI): Concentration: 707 ug/ml 23176 **UNIPROT ID:** Source:

Mouse Q92599 Full Name: Isotype: septin 8 Calculated MW: Immunogen Catalog Number: AG19114 55.6 kDa

Observed MW: 50-58 kDa

Applications Tested Applications:

WB, IHC, IF/ICC, ELISA Species Specificity: human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Purification Method:

Thiophilic affinity chromatograph

CloneNo.: 4A12G9

Recommended Dilutions: WB 1:500-1:2000 IHC 1:50-1:500 IF/ICC 1:200-1:800

Positive Controls:

WB: HeLa cells,

IHC: mouse brain tissue, human gliomas tissue

IF/ICC: HeLa cells,

Background Information

Septin 8, also named as KIAA0202, is a member of the highly conserved septin family. Septins are membraneassociated GTPases which are involved in cytokinesis and cellular morphogenesis. Septin 8 is an interaction partner of Septin 4. It may play a role in platelet secretion.

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

Selected Validation Data




Immunofluorescent analysis of (-20°C Methanol) fixed HeLa cells using Septin 8 antibody (66188-1-lg, Clone: 4A12G9) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L).



HeLa cells were subjected to SDS PAGE followed by western blot with 66188-1-Ig (Septin 8 Antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 66188-1-Ig (Septin 8 antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 66188-1-Ig (Septin 8 antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).