For Research Use Only

Myoglobin Monoclonal antibody

Catalog Number:66205-1-lg 1 Publications



Basic Information

Catalog Number:

GenBank Accession Number: BC014547

Purification Method: Protein A purification

66205-1-lg

GeneID (NCBI):

Size:

CloneNo.:

1000 µg/ml

4151 **UNIPROT ID:** 1A4F7

IHC 1:50-1:500

Source: Mouse

P02144

Recommended Dilutions: WB 1:5000-1:80000

Isotype: lgG1

Full Name: myoglobin

Calculated MW: Immunogen Catalog Number: AG8979

154 aa, 17 kDa

Observed MW:

17-18 kDa

Applications

Tested Applications:

WB, IHC, FC (Intra), ELISA

Cited Applications:

WB

Species Specificity:

human, mouse, rat, pig, rabbit

Cited Species:

pig

Positive Controls:

WB: human skeletal muscle tissue, pig heart tissue, rat heart tissue, mouse heart tissue, rabbit heart tissue.

human heart tissue

IHC: human heart tissue, mouse tongue tissue, rat

heart tissue

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Background Information

Myoglobin is a cytoplasmic hemoprotein that is expressed primarily in cardiomyocytes and oxidative skeletal muscle fibers, functioning on facilitating oxygen transport and modulating nitric oxide homeostasis within cardiac and skeletal myocytes. Recent studies indicated that myoglobin was also expressed in non-muscle tissues. This antibody well recognized endogenous myoglobin in muscle lysates.

Notable Publications

Author Pubmed ID Journal Application Zhaojian Li 39276279 Stress Biol WB


Storage

Store at -20°C. Stable for one year after shipment.


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



human skeletal muscle tissue were subjected to SDS PAGE followed by western blot with 66205-1-Ig (Myoglobin antibody at dilution of 1:50000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded rat heart tissue slide using 66205-1-lg (Myoglobin antibody) at dilution of 1:8000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human heart tissue slide using 66205-1-Ig (Myoglobin antibody at dilution of 1:200 (under 10x lens).



Immunohistochemical analysis of paraffinembedded mouse tongue tissue slide using 66205-1-lg (Myoglobin antibody) at dilution of 1:8000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



1X10^6 C2C12 cells were intracellularly stained with 0.4 ug Anti-Human Myoglobin (66205-1-1g, Clone:1A4F7) and CoraLite®488-Conjugated Goat Anti-Mouse IgG(H+L) at dilution 1:1000 (red), or 0.4 ug Control Antibody. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).