

For Research Use Only

MYH2-specific Monoclonal antibody

Catalog Number: 66212-1-Ig **4 Publications**



Basic Information

Catalog Number: 66212-1-Ig	GenBank Accession Number: NM_017534	Purification Method: Protein A purification
Concentration: 1000 ug/ml	GeneID (NCBI): 4620	CloneNo.: 1F1B6
Source: Mouse	UNIPROT ID: Q9UIK2	Recommended Dilutions: WB 1:5000-1:100000 IHC 1:50-1:500
Isotype: IgG2b	Full Name: myosin, heavy chain 2, skeletal muscle, adult	
	Calculated MW: 223 kDa	
	Observed MW: 200 kDa	

Applications

Tested Applications: WB, IHC, ELISA	Positive Controls: WB : human skeletal muscle tissue, IHC : human skeletal muscle tissue,
Cited Applications: WB, IHC	
Species Specificity: human	
Cited Species: human, mouse	
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0	

Background Information

MYH2 (Myosin II) is a member of the class II or conventional myosin heavy chains. Myosin II was first isolated from muscle but is also found in non muscle cells, and it is especially enriched in highly motile cell types such as amoebae. It forms bipolar filaments that interact with actin filaments to produce contraction. And it is the motor protein that generates force to drive muscle contraction. Functions in skeletal muscle contraction. The antibody is specific to MYH2, will not bind other myosins. It is a skeletal muscle specific antibody.

Notable Publications

Author	Pubmed ID	Journal	Application
Wenliang Zhang	34580406	Sci Rep	WB
Luchu Zhang	29224337	J Agric Food Chem	WB
Takamasa Gomi	39915641	Sci Rep	IHC


Storage

Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol, pH7.3
Aliquoting is unnecessary for -20°C storage


For technical support and original validation data for this product please contact:
T: 4006900926 E: Proteintech-CN@ptglab.com W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



human skeletal muscle tissue were subjected to SDS PAGE followed by western blot with 66212-1-Ig (Myosin 2a antibody) at dilution of 1:100000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human skeletal muscle tissue slide using 66212-1-Ig (Myosin 2a Antibody) at dilution of 1:100 (under 10x lens).