

For Research Use Only

Haptoglobin Monoclonal antibody

Catalog Number: 66229-1-Ig **1 Publications**



Basic Information

Catalog Number: 66229-1-Ig	GenBank Accession Number: BC058031	Purification Method: Protein A purification
Size: 1800 µg/ml	GeneID (NCBI): 3240	CloneNo.: 3B4B9
Source: Mouse	UNIPROT ID: P00738	Recommended Dilutions: WB 1:2000-1:20000
Isotype: IgG2b	Full Name: haptoglobin	
Immunogen Catalog Number: AG9927	Calculated MW: 281aa, 31 kDa; 228aa, 25 kDa	
	Observed MW: 42 kDa	

Applications

Tested Applications: WB, ELISA	Positive Controls: WB : human plasma tissue,
Cited Applications: WB	
Species Specificity: human, pig	
Cited Species: monkey	

Background Information

HP (Haptoglobin) is also named as zonulin and belongs to the peptidase S1 family. HP, a plasma glycoprotein that binds free hemoglobin, has a tetrameric structure of 2 alpha (16 kDa and 9 kDa) and 2 beta (40 kDa) polypeptides that are covalently associated by disulfide bonds. In most species, apart from ruminants, Hp has a molecular mass of 100 kDa, consisting of two subunits of 40 kDa and two subunits of 9 kDa, although in a few species, such as man, genetic variant of Hp forms polymers of higher mass (PMID:2361363). Recent studies of haptoglobin show that certain oligosaccharide structures predominate in different diseases. For example, a highly-fucosylated structure is found in breast cancer and ovarian cancer, highly-sialylated structures in Crohn's disease and highly branched structures in alcoholic liver disease and fucosylated haptoglobin is a good serum marker for pancreatic cancer. (PMID:16385567).

Notable Publications

Author	Pubmed ID	Journal	Application
Amrita K Cheema	35675853	Int J Radiat Oncol Biol Phys	WB

Storage

Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



0.5 μ l human plasma was subjected to SDS PAGE followed by western blot with 66229-1-Ig (HP Antibody) at dilution of 1:40000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human liver cancer tissue slide using 66229-1-Ig (Haptoglobin antibody) at dilution of 1:8000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded human liver cancer tissue slide using 66229-1-Ig (Haptoglobin antibody) at dilution of 1:8000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).