For Research Use Only

STXBP2 Monoclonal antibody

Catalog Number:66238-1-lg 2 Publications



Basic Information	Catalog Number: 66238-1-Ig	GenBank Accession Number: BC002869		Purification Method: Protein G purification	
	Concentration: 1000 ug/ml	GeneID (NCBI): 6813		CloneNo.: 3G3A12	
	Source: UNIPROT ID: Mouse Q15833		:	Recommended Dilutions: WB 1:5000-1:50000	
	lsotype: lgG1	Full Name: syntaxin bir	ding protein 2	IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate	
	Immunogen Catalog Number: AG7640	Calculated MW: 593 aa, 66 kDa Observed MW: 66 kDa		IHC 1:500-1:2000 IF/ICC 1:50-1:500	
Applications	Tested Applications:	Positive Controls:			
	WB, IHC, IF/ICC, IP, ELISA Cited Applications:			WB : HeLa cells, fetal human brain tissue, HEK-293 cells, HepG2 cells, Jurkat cells IP : K-562 cells, IHC : mouse brain tissue, human lung cancer tissue	
	WB, IP				
	Species Specificity: human, mouse		IHC : mou		
	Cited Species: human, mouse		IF/ICC : H	IF/ICC : HepG2 cells,	
	Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0				
Background Information	Syntaxin-binding protein 2 (STXBP2, also known as Unc18-2) belongs to the STXBP/unc-18/SEC1 family. STXBP2 is involved in intracellular trafficking, control of SNARE (soluble NSF attachment protein receptor) complex assembly and the release of cytotoxic granules by natural killer cells. Mutations in the STXBP2 gene are associated with familial hemophagocytic lymphohistiocytosis.				
Notable Publications	Author	Pubmed ID	Journal	Application	
	Prasad V Phatarpekar	32841357	J Cell Biol		
	Mina Yang	36944334	Immunity	WB,IP	
Storage	Storage: Store at -20°C. Stable for one ye	ar after shipment.			

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data


Various lysates were subjected to SDS PAGE followed by western blot with 66238-1-lg (STXBP2 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 66238-1-Ig (STXBP2 antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 66238-1-Ig (STXBP2 antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (10% Formaldehyde) fixed HepG2 cells using 66238-1-Ig(STXBP2 antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Mouse IgG(H+L).



IP result of anti-STXBP2 (IP:66238-1-Ig, 5ug; Detection:66238-1-Ig 1:2000) with K-562 cells lysate 3200ug.