

For Research Use Only

# CD1d Monoclonal antibody

Catalog Number: 66257-1-Ig **Featured Product**



## Basic Information

<b>Catalog Number:</b> 66257-1-Ig	<b>GenBank Accession Number:</b> BC027926	<b>Purification Method:</b> Protein G purification
<b>Size:</b> 2000 µg/ml	<b>GeneID (NCBI):</b> 912	<b>CloneNo.:</b> 1C12F1
<b>Source:</b> Mouse	<b>UNIPROT ID:</b> P15813	<b>Recommended Dilutions:</b> WB 1:500-1:2000 IHC 1:20-1:200
<b>Isotype:</b> IgG1	<b>Full Name:</b> CD1d molecule	
<b>Immunogen Catalog Number:</b> AG11108	<b>Calculated MW:</b> 335 aa, 38 kDa	
	<b>Observed MW:</b> 40 kDa, 50-55 kDa	

## Applications

**Tested Applications:**  
IHC, WB, ELISA

**Species Specificity:**  
human

**Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0**

**Positive Controls:**

**WB:** human testis tissue, Jurkat

**IHC:** human skin tissue, human small intestine tissue

## Background Information

CD1d is a member of the CD1 family of transmembrane glycoproteins, which are structurally related to the major histocompatibility complex (MHC) proteins and form heterodimers with beta-2-microglobulin. CD1d is an antigen-presenting protein that binds self and non-self glycolipids and presents them to T-cell receptors on NKT cells. When activated, NKT cells rapidly produce Th1 and Th2 cytokines. The molecular weight of unglycosylated CD1d is 38 kDa, while glycosylated form of CD1d is 48-55 kDa.

## Storage

**Storage:**

Store at -20°C. Stable for one year after shipment.

**Storage Buffer:**

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: [Proteintech-CN@ptglab.com](mailto:Proteintech-CN@ptglab.com)


W: [ptgcn.com](http://ptgcn.com)

**This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.**


## Selected Validation Data




WB result of CD1D antibody (66257-1-Ig, 1:500) with si-Control and si-CD1D transfected Jurkat cells.



human testis tissue were subjected to SDS PAGE followed by western blot with 66257-1-Ig (CD1D Antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human skin tissue slide using 66257-1-Ig (CD1d antibody) at dilution of 1:100 (under 10x lens).



Immunohistochemical analysis of paraffin-embedded human skin tissue slide using 66257-1-Ig (CD1d antibody) at dilution of 1:100 (under 40x lens).