For Research Use Only

## 5 Lipoxygenase Monoclonal antibody, PBS Only

Proteintech®
Antibodies | ELISA kits | Proteins
www.ptglab.com

Catalog Number:66326-1-PBS

**Featured Product** 

**Basic Information** 

Catalog Number:

GenBank Accession Number: BC130332

Purification Method: Protein A purification

66326-1-PBS

GeneID (NCBI):

CloneNo.:

Size: 1 mg/ml

240

3B1B7

1 mg/m Source: Mouse

Isotype:

AG18168

UNIPROT ID: P09917 Full Name:

arachidonate 5-lipoxygenase

IgG2a Immunogen Catalog Number:

Calculated MW: 674 aa, 78 kDa

Observed MW:

78 kDa

**Applications** 

Tested Applications: WB, IHC, ELISA Species Specificity:

human, pig

**Background Information** 

ALOX5(arachidonate 5-lipoxygenase) is also named as LOG5, 5-LO and belongs to the lipoxygenase family. It catalyzes the first step in leukotriene biosynthesis, and plays a role in inflammatory processes. It is a 78 kDa iron-containing enzyme that translocates from the cytosol to associate with FLAP, and converts arachidonate in two steps into the unstable intermediate LTA4. It is essential for cysteinyl-leukotriene (cys-LT) production, critical mediators in asthma(PMID:12911785).

Storage

Storage:

Store at -80°C.


The product is shipped with ice packs. Upon receipt, store it immediately at -80°C Storage Buffer:

PBS Only


## Selected Validation Data



pig spleen tissue were subjected to SDS PAGE followed by western blot with 66326-1-1g (5 Lipoxygenase antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 66326-1-PBS in a different storage buffer formulation.




WB result of 5 Lipoxygenase antibody (66326-1-lg; 1:2000; incubated at room temperature for 1.5 hours) with sh-Control and sh-5 Lipoxygenase transfected THP-1 cells. This data was developed using the same antibody clone with 66326-1-PBS in a different storage buffer formulation.




THP-1 cells were subjected to SDS PAGE followed by western blot with 66326-1-lg (5 Lipoxygenase antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 66326-1-PBS in a different storage buffer formulation.



pig spleen tissue were subjected to SDS PAGE followed by western blot with 66326-1-Ig (ALOX5 Antibody) at dillution of 1:2000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 66326-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human lung tissue slide using 66326-1-Ig (ALOX5 Antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66326-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human lung tissue slide using 66326-1-Ig (ALOX5 Antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66326-1-PBS in a different storage buffer formulation.