For Research Use Only

## COX2/ Cyclooxygenase 2/ PTGS2 Monoclonal antibody



**Purification Method:** 

Catalog Number:66351-1-lg

Featured Product

177 Publications

**Basic Information** 

Catalog Number: 66351-1-lg Concentration: 2000 ug/ml

Source: Mouse Isotype: IgG2a Immunogen Catalog Number:

AG24721

GenBank Accession Number:

BC013734 Protein A purification GeneID (NCBI): CloneNo.: 3G2B9 **UNIPROT ID:** Recommended Dilutions:

P35354 WB 1:1000-1:8000 IHC 1:1000-1:4000 Full Name: prostaglandin-endoperoxide synthase IF-P 1:200-1:800 2 (prostaglandin G/H synthase and

cyclooxygenase) Calculated MW:

604 aa, 68 kDa Observed MW: 66-70 kDa

**Applications** 

**Tested Applications:** WB, IHC, IF-P, ELISA **Cited Applications:** WB, IHC, IF, IP, CoIP Species Specificity: human, mouse **Cited Species:** 

human, mouse, rat, bovine

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

**Positive Controls:** 

WB: RAW 264.7 cells, LPS treated HeLa cells, LPS treated RAW 264.7 cells

IHC: human cervical cancer tissue, human breast cancer tissue, human colon cancer tissue

IF-P: mouse lung tissue,

## **Background Information**

COX2 (Prostaglandin G/H synthase 2, PTGS2) mediates the formation of prostaglandins from arachidonate. Its subunit structure is homodimer. The fully N-glycosylated PTGS2 is 72-74 kDa and the aglycosylated is 66 kDa (PMID:19656660). It also expresses a band of 39 kDa after unspecific cleavage (PMID:17509125). The 50 kDa band of fragmented PTGS2 has also previously been detected in AD brains (PMID:14724276).

## **Notable Publications**

Author	Pubmed ID	Journal	Application
Shan-Shan Zhang	36235633	Nutrients	WB
Yue Li	36234847	Molecules	WB
Zixuan Liu	33017703	Chemosphere	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol, pH7.3


Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926 E: Proteintech-CN@ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## **Selected Validation Data**




Non-treated and LPS treated RAW 264.7 cells were subjected to SDS PAGE followed by western blot with 66351-1-Ig (COX2/ Cyclooxygenase 2/ PTGS2 antibody) at dilution of 1:4000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human cervical cancer tissue slide using 66351-1-Ig (COX2/ Cyclooxygenase 2/ PTGS2 antibody) at dilution of 1:2000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 66351-1-Ig (COX2/ Cyclooxygenase 2/ PTGS2 antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed paraffin-embedded mouse lung tissue using COX2/Cyclooxygenase 2/ PTGS2 antibody (66351-1-lg, Clone: 3G2B9) at dilution of 1:400 and Coralite® 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).