

For Research Use Only

# NF-M Monoclonal antibody, PBS Only



Catalog Number: 66396-1-PBS

## Basic Information

Catalog Number:

66396-1-PBS

Size:

1 mg/ml

Source:

Mouse

Isotype:

IgG1

Immunogen Catalog Number:

AG22709

GenBank Accession Number:

BC002421

GeneID (NCBI):

4741

UNIPROT ID:

P07197

Full Name:

neurofilament, medium polypeptide

Calculated MW:

102 kDa

Observed MW:

140 kDa

Purification Method:

Protein A purification

CloneNo.:

2E3B12

## Applications

Tested Applications:

WB, IHC, FC, ELISA

Species Specificity:

human, mouse, rat

## Background Information

NEFM, also named as NEF3 and NFM, belongs to the intermediate filament family. Neurofilaments are the 10 nm intermediate filaments found specifically in neurons. They are a major component of the cell's cytoskeleton, and provide support for normal axonal radial growth. Neurofilaments usually contain three intermediate filament proteins: L, M, and H which are involved in the maintenance of neuronal caliber. The names given to the three major neurofilament subunits are based upon the apparent molecular weight of the mammalian subunits on SDS-PAGE: NF-L, 65-68 kDa; NF-M, 140-160 kDa and NF-H, 200-220 kDa.

## Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS only

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: [Proteintech-CN@ptglab.com](mailto:Proteintech-CN@ptglab.com)


W: [ptgcn.com](http://ptgcn.com)

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## Selected Validation Data




Immunohistochemical analysis of paraffin-embedded mouse brain tissue slide using 66396-1-Ig (NF-M antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66396-1-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffin-embedded mouse brain tissue slide using 66396-1-Ig (NF-M antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66396-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffin-embedded mouse cerebellum tissue slide using 66396-1-Ig (NF-M antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66396-1-PBS in a different storage buffer formulation.



Lysates of rat brain, mouse brain tissues and PC-12 cells were subjected to SDS PAGE followed by western blot with 66396-1-Ig (NEFM Antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 66396-1-PBS in a different storage buffer formulation.



1X10<sup>6</sup> PC-12 cells were intracellularly stained with 0.4 ug Anti-Human NF-M (66396-1-Ig, Clone:2E3B12) and Coralite®488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L) at dilution 1:1000 (red), or 0.4 ug Control Antibody. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C). This data was developed using the same antibody clone with 66396-1-PBS in a different storage buffer formulation.