For Research Use Only

## STAT5B Monoclonal antibody, PBS Only

Catalog Number:66427-1-PBS



**Basic Information** 

Catalog Number:

GenBank Accession Number:

**Purification Method:** Protein A purification

66427-1-PBS

BC020868 GeneID (NCBI):

CloneNo.:

Size: 1mg/ml

6777

1D9B11

Source: Mouse Isotype:

ENSG00000173757 **UNIPROT ID:** 

ENSEMBL Gene ID:

P51692 Full Name: Immunogen Catalog Number:

AG2709

IgG2a

signal transducer and activator of

transcription 5B Calculated MW: 787 aa, 90 kDa Observed MW:

90 kDa

**Applications** 

**Tested Applications:** 

WB, IF/ICC, FC (Intra), Indirect ELISA

Species Specificity:

**Background Information** 

STAT5B belongs to the transcription factor STAT family. In response to cytokines and growth factors, STAT family members are phosphorylated by the receptor associated kinases, and then form homo- or heterodimers that translocate to the cell nucleus where they act as transcription activators. STAT5B carries out a dual function: signal transduction and activation of transcription. STAT5B mediates the signal transduction triggered by various cell ligands, such as IL2, IL4, CSF1, and different GH. It has been shown to be involved in diverse biological processes, such as TCR signaling, apoptosis, adult mammary gland development, and sexual dimorphism of liver gene expression. Despite the 95% homology between the immunogen (Ag2709) and the STAT5A protein, our WB detection showed that this antibody does not recognize the STAT5A fusion protein (Ag19546).

Storage


Storage:

Store at -80°C.


The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

PBS Only


## Selected Validation Data



Jurkat cells were subjected to SDS PAGE followed by western blot with 66427-1-1g (STAT5B Antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 66427-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using STAT5B antibody (66427-1-lg, Clone: 1D9B11) at dilution of 1:800 and CoraLite® 488-Conjugated Goat Anti-Mouse IgG(H+L) (SA00013-1), CL594-phalloidin (red). This data was developed using the same antibody clone with 66427-1-PBS in a different storage buffer formulation.



1X10^6 HeLa cells were intracellularly stained with 0.5 ug Anti-Human STAT5B (66427-1-lg, Clone:1D9B11) (red) labeled with FlexAble CoraLite® Plus 555 Antibody Labeling Kit for Mouse IgG2a (KFA042), or 0.5 ug Mouse IgG2a Isotype Control (66360-2-lg, Clone: K11A1B2A2) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C). This data was developed using the same antibody clone with 66427-1-PBS in a different storage buffer