For Research Use Only

Gamma Catenin Monoclonal antibody

Catalog Number:66445-1-lg 2 Publications



Basic Information

Catalog Number: 66445-1-lg

Size: 1600 µg/ml Source: Mouse

lgG1 Immunogen Catalog Number:

Isotype:

AG1627

junction plakoglobin Calculated MW: 82 kDa

BC011865

3728

P14923

82 kDa

GeneID (NCBI):

UNIPROT ID:

Full Name:

Observed MW:

GenBank Accession Number:

Applications

Tested Applications: IF/ICC, IHC, WB, ELISA Cited Applications:

WB

Species Specificity:

human, rat, pig, Canine, mouse

Cited Species: human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Purification Method: Protein A purification

CloneNo.:

1A5D10

Recommended Dilutions: WB 1:1000-1:4000 IHC 1:1000-1:4000 IF/ICC 1:200-1:800

Positive Controls:

WB: human heart tissue, A431 cells, HT-29 cells, MDCK cells, rat heart tissue, T-47D cells

IHC: human breast cancer tissue, human skin tissue, human stomach cancer tissue, mouse stomach tissue, rat stomach tissue

IF/ICC: A431 cells, MCF-7 cells

Background Information

Plakoglobin (γ -catenin), a member of the Armadillo proteins, plays important roles in cell adhesion with α catenin and β -catenin, is involved in Wnt signaling, and is translocated into the nucleus and binds LEF 1. Plakoglobin is a major cytoplasmic component of both desmosomes and adherens junctions, and is the only known constituent common to submembranous plaques in both of these structures, which are located at the intercalated disc (ICD) of cardiomyocytes. Plakoglobin links cadherins to the actin cytoskeleton. Mutations in plakoglobin are associated with arrhythmogenic right ventricular dysplasia and Pemphigus vulgaris.

Notable Publications

Author	Pubmed ID	Journal	Application
Chao Sun	36120591	Oxid Med Cell Longev	WB
Chao Sun	37421607	Aging (Albany NY)	WB


Storage

Store at -20°C. Stable for one year after shipment.


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




human heart tissue were subjected to SDS PAGE followed by western blot with 66445-1-lg (Plakoglobin/gamma catenin antibody at dilution of 1:2000 incubated at room temperature for 1.5




Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 66445-1-1g (gamma catenin antibody) at dilution of 1:2000 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 66445-1-1g (gamma catenin antibody) at dilution of 1:2000 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed A431 cells using Gamma Catenin antibody (66445-1-lg, Clone: 1A5D10) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L).



Immunofluorescent analysis of (-20°C Methanol) fixed MCF-7 cells using Gamma Catenin antibody (66445-1-Ig, Clone: 1A5D10) at dilution of 1:400 and Coralite® 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L).