For Research Use Only

EGFR Monoclonal antibody, PBS Only

Catalog Number:66455-1-PBS

Featured Product


1 Publications




Basic Information	Catalog Number: 66455-1-PBS	GenBank Accession Number: BC094761	Purification Method: Protein G purification
	Concentration:	GenelD (NCBI):	CloneNo.:
	3802 ug/ml	1956	2A2H10
	Source: Mouse	UNIPROT ID: P00533	
	Isotype:	Full Name:	
	lgG1	epidermal growth factor receptor	
	Immunogen Catalog Number: AG24947	(erythroblastic leukemia viral (v-erb- b) oncogene homolog, avian) Calculated MW: 1210 aa, 134 kDa	
	NUL4941		
	Observed MW: 145-165 kDa		
Applications	Tested Applications: WB, IHC, Indirect ELISA		
	Cited Applications: WB		
	Species Specificity: human		
	Cited Species: human		
Background Information	EGFR, also named as ERBB1, is a cell-surface receptor for members of the epidermal growth factor family (EGF- family) of extracellular protein ligands. Binding of the protein to a ligand induces receptor dimerization and tyrosine autophosphorylation and leads to cell proliferation. The gene resides on chromosome 7p12, encoding a 170 kDa membrane-associated glycoprotein. Recent studies have shown EGFR plays a critical role in cancer development and progression, including cell proliferation, apoptosis, angiogenesis, and metastatic spread. Mutations in this gene are associated with lung cancer.		
Notable Publications	Author	Pubmed ID Journal	Application
	Liushan Chen	39730704 Sci Rep	WB
Storage	Storage: Store at -80°C. The product is shipped with ice packs. Upon receipt, store it immediately at -80°C Storage Buffer: PBS Only		

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 66455-1-1g (EGFR antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 66455-1-PBS in a different storage buffer formulation.




WB result of EGFR antibody (66455-1-lg; 1:20000; incubated at room temperature for 1.5 hours) with sh-Control and sh-EGFR transfected HepG2 cells. This data was developed using the same antibody clone with 66455-1-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffinembedded human placenta tissue slide using 66455-1-1g (EGFR antibody) at dilution of 1:2000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66455-1-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffinembedded human placenta tissue slide using 66455-1-1g (EGFR antibody) at dilution of 1:4000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66455-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human placenta tissue slide using 66455-1-1g (EGFR antibody) at dilution of 1:4000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66455-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 66455-1-Ig (EGFR antibody) at dilution of 1:4000 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66455-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 66455-1-1g (EGFR antibody) at dilution of 1:4000 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66455-1-PBS in a different storage buffer formulation.