For Research Use Only

SOD2 Monoclonal antibody, PBS Only proteintech

Catalog Number: 66474-1-PBS

Featured Product



Purification Method:

Protein A purification

CloneNo.:

3A6C2

Basic Information

Catalog Number: 66474-1-PBS

Size:

BC016934 GeneID (NCBI): 1mg/ml 6648 Source: **UNIPROT ID:**

Mouse P04179 Isotype: Full Name: superoxide dismutase 2,

mitochondrial Immunogen Catalog Number:

AG21388

25 kDa

25 kDa

IgG2a

Calculated MW: Observed MW:

GenBank Accession Number:

Applications

Tested Applications: ELISA, IF/ICC, IHC, WB Species Specificity: pig, rat, mouse, human

Background Information

SOD2(superoxide dismutase 2, mitochondrial) is also named as IPOB, MNSOD, SODM, Mn-SOD and belongs to the iron/manganese superoxide dismutase family. It is a marker of mitochondria, which is restricted to the perinuclear area in a cell with aggregate formation of mutant SOD1(PMID:12659845). It functions as the first line of antioxidant defense against highly reactive superoxide radicals and it appears to be early predictors for survival in septic patients with with MIF(PMID:20863520). It has 2 isoforms with the molecular weight of 25 kDa and 21 kDa.

Storage


Storage:

Store at -80°C. The product is shipped with ice packs. Upon receipt, store it immediately at -80°C


Storage Buffer:

PBS Only


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 66474-1-lg (SOD2 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated GAPDH Monoclonal antibody (HRP-60004) as loading control. This data was developed using the same antibody clone with 66474-1-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 66474-1-lg (SOD2 antibody) at dilution of 1:5000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66474-1-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 66474-1-lg (SOD2 antibody) at dilution of 1:5000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66474-1-PBS in a different storage buffer formulation.




1X10^6 HeLa cells were intracellularly stained with 0.4 ug Anti-Human SOD2 (66474-1-lg, Clone:3A6C2) and CoraLite®488-Conjugated Affini Pure Goat Anti-Mouse IgG(H+L) at dilution 1:1000 (red), or 0.4 ug Mouse IgG2a Isotype Control (C1.18.4) (65208-1-lg, Clone: C1.18.4) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C). This data was developed using the same antibody clone with 66474-1-PBS in a



Various lysates were subjected to SDS PAGE followed by western blot with 66474-1-1g (SOD2 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 66474-1-PBS in a different storage buffer formulation.



WB result of SOD2 antibody (66474-1-Ig; 1:40000; incubated at room temperature for 1.5 hours) with sh-Control and sh-SOD2 transfected HeLa cells. This data was developed using the same antibody clone with 66474-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (-20°C Methanol) fixed HUVEC cells using SOD2 antibody (66474-1-Ig, Clone: 3A6C2) at dilution of 1:400 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L). This data was developed using the same antibody clone with 66474-1-PBS in a different storage buffer formulation.