For Research Use Only

TAU Monoclonal antibody

Catalog Number:66499-1-lg Featured Product

19 Publications



Basic Information

Catalog Number: GenBank Accession Number: 66499-1-lg BC000558 GeneID (NCBI): Concentration: 1000 ug/ml 4137 **UNIPROT ID:** Source:

Recommended Dilutions: P10636 WB 1:1000-1:30000 IHC 1:200-1:800 Full Name: microtubule-associated protein tau

IgG2c Calculated MW:

Immunogen Catalog Number: AG21926 37-46, 79-81 kDa Observed MW:

100 kDa

Applications

Tested Applications: WB, IHC, ELISA Cited Applications: WB, IHC, IF Species Specificity:

Mouse

Isotype:

human, mouse, rat, pig **Cited Species:** human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: HeLa cells, Y79 cells, pig brain tissue, SH-SY5Y cells, U-251 cells, Neuro-2a cells, rat brain tissue, mouse brain tissue

Purification Method:

Protein A purification

CloneNo.:

1E9A8

IHC: human gliomas tissue, mouse brain tissue

Background Information

The microtubule-associated protein TAU (MAPT or TAU) is encoded by MAPT gene, which locates on human chromosome 17q21, binds to the tubulin subunit of microtubule and promotes its assembly and stability. Most TAU is expressed in neurons, and TAU isoform is expressed in the peripheral nervous system while the others are expressed in the central nervous system. TAU links axonal microtubules with C-terminus to neural plasma $membrane\ components\ with\ its\ N-terminus,\ suggesting\ the\ participation\ in\ intracellular\ signal\ transduction\ and$ neuron's development and viability. Various isoforms of Tau exist due to the alternative splicing, and short isoforms around 45-69 kDa and long isoforms around 100-110 kDa have been reported in different literature (PMID:8752131,15965697, 12485403). Present monoclonal anti-Tau antibody can detect approx 100-kDa bands in brain tissues.

Notable Publications

Author	Pubmed ID	Journal	Application
Estibaliz Santiago-Mujika	36606207	J Alzheimers Dis Rep	WB
Jiqu Xu	31050371	J Pineal Res	WB
Nicholas E. Albrecht	35880013	Cell Rep Methods	IF

Storage

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol, pH7.3


Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926 E: Proteintech-CN@ptglab.com W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




WB result of TAU antibody (66499-1-Ig; 1:30000; incubated at room temperature for 1.5 hours) with sh-Control and sh-TAU transfected HeLa cells.



Various lysates were subjected to SDS PAGE followed by western blot with 66499-1-1g (TAU antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



Various lysates were subjected to SDS PAGE followed by western blot with 66499-1-1g (TAU antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human gliomas tissue slide using 66499-1-Ig (TAU antibody) at dilution of 1:400 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human gliomas tissue slide using 66499-1-Ig (TAU antibody) at dilution of 1:400 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).