For Research Use Only

## CNOT1 Monoclonal antibody, PBS Only



**Purification Method:** 

Protein A purification

CloneNo.:

1A10A11

Catalog Number:66507-1-PBS

**Featured Product** 

**Basic Information** 

Catalog Number: 66507-1-PBS

Size: 1 mg/ml Source: Mouse Isotype:

lgG1

Immunogen Catalog Number:

AG5623

**Tested Applications:** 

WB,IHC,IF,ELISA Species Specificity: Human, mouse, rat, pig

**Applications** 

**Background Information** 

CNOT1 is a component of CCR4-NOT protein complex, which is a regulator of RNA polymerase II transcription, acts as a transcription repressor. CCR4-NOT complex could participate in transcription as well as mRNA degradation. It's highly expressed in brain, heart, thymus, but weak in skeletal muscle and colon. CNOT1 undergoes alternative splicing to produce four isoforms. CNOT1 exsits as many isoforms. The isoform one is about 267 kDa and the isoform four is about 173 kDa.

GenBank Accession Number:

CCR4-NOT transcription complex,

BC040523

23019

A5YKK6

Full Name:

subunit 1

Calculated MW: 267 kDa Observed MW: 240-250 kDa

GeneID (NCBI):

**UNIPROT ID:** 

Storage


Storage:

Store at -80°C.


The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

Storage Buffer: PBS only


## Selected Validation Data




WB result of CNOT1 antibody (66507-1-lg; 1:300; incubated at room temperature for 1.5 hours) with sh-Control and sh-CNOT1 transfected Hela cells. This data was developed using the same antibody clone with 66507-1-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffinembedded human heart tissue slide using 66507-1-Ig (CNOT1 antibody) at dilution of 1:200 (under 40x lens). This data was developed using the same antibody clone with 66507-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using 66507-1-lg (CNOT1 antibody) at dilution of 1:100 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Mouse IgG(H+L). This data was developed using the same antibody clone with 66507-1-PBS in a different storage buffer formulation



Various lysates were subjected to SDS PAGE followed by western blot with 66507-1-lg (CNOT1 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 66507-1-PBS in a different storage buffer formulation.



Various lysates were subjected to SDS PAGE followed by western blot with 66507-1-lg (CNOT1 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 66507-1-PBS in a different storage buffer formulation.