For Research Use Only

Coagulation Factor II Monoclonal antibody, PBS Only

www.ptglab.com

Catalog Number:66509-1-PBS

Basic Information

Catalog Number:

GenBank Accession Number: BC051332

Purification Method:

66509-1-PBS

GeneID (NCBI):

Protein A purification

Size: 1 mg/ml

CloneNo.: 1E12A8

Source: Mouse

UNIPROT ID: P00734 Full Name:

Isotype: lgG1 coagulation factor II (prothrombin)

Immunogen Catalog Number:

Calculated MW: 622 aa, 70 kDa

AG18385

Observed MW:

70-80 kDa

Applications

Tested Applications:

WB, IHC, Indirect ELISA

Species Specificity:

human

Background Information

Normal blood coagulation is a complex process, involving a cascade of activation of different plasma proteins, ultimately resulting in the formation of a clot, called fibrin. Coagulation Factor II, also known as prothrombin or factor II, is one of the components of this chain of plasma proteins involved in blood coagulation. Prothrombin is the precursor of thrombin, which is essential in the processes of hemostasis and thrombosis.

Storage


Storage:

Store at -80°C.


The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

PBS Only


Selected Validation Data




human plasma was subjected to SDS PAGE followed by western blot with 66509-1-lg (Coagulation Factor II antibody) at various dilutions incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 66509-1-PBS in a different storage buffer formulation.



Untreated and PNGase F-treated lysates of human plasma were subjected to SDS PAGE followed by western blot with 66509-1-lg (Coagulation Factor II antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. PNGase F was obtained from Atagenix (cat.NO. ata808). This data was developed using the same antibody clone with 66509-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human liver tissue slide using 66509-1-Ig (Coagulation Factor II antibody) at dilution of 1:150 (under 10x lens). This data was developed using the same antibody clone with 66509-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human liver tissue slide using 66509-1-Ig (Coagulation Factor II antibody) at dilution of 1:150 (under 40x lens). This data was developed using the same antibody clone with 66509-1-PBS in a different storage buffer formulation.