

For Research Use Only

# Septin 7 Monoclonal antibody

Catalog Number: 66542-1-Ig

Featured Product

1 Publications



## Basic Information

Catalog Number:

66542-1-Ig

Size:

1400 µg/ml

Source:

Mouse

Isotype:

IgG1

Immunogen Catalog Number:

AG4309

GenBank Accession Number:

BC025987

GeneID (NCBI):

989

UNIPROT ID:

Q16181

Full Name:

septin 7

Calculated MW:

51 kDa

Observed MW:

48-51 kDa

Purification Method:

Protein G purification

CloneNo.:

1G12D1

Recommended Dilutions:

WB 1:5000-1:50000

IHC 1:1000-1:4000

## Applications

Tested Applications:

IHC, WB, ELISA

Cited Applications:

WB

Species Specificity:

Human, mouse, rat

Cited Species:

human

**Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0**

Positive Controls:

WB : HeLa cells, HepG2 cells, HEK-293 cells, Jurkat cells, HSC-T6 cells, NIH/3T3 tissue

IHC : human gliomas tissue, human lung tissue, human tonsillitis tissue

## Background Information

Septins (SEPTs) are members of a conserved family of cytoskeletal GTPases involved in various cellular processes, including cytoskeleton organization, cytokinesis, and membrane dynamics. Septin 7 is a unique septin required for filament formation. It has also been reported to be involved in migration and invasion in various cancer cells, including breast cancer and glioma.

## Notable Publications

Author	Pubmed ID	Journal	Application
Juan Sun	38369484	Cancer Cell Int	WB

## Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

**This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.**


## Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 66542-1-Ig (Septin 7 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human gliomas tissue slide using 66542-1-Ig (Septin 7 antibody) at dilution of 1:2000 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded human gliomas tissue slide using 66542-1-Ig (Septin 7 antibody) at dilution of 1:2000 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



WB result of Septin 7 antibody (66542-1-Ig; 1:1500; incubated at room temperature for 1.5 hours) with sh-Control and sh-Septin 7 transfected HepG2 cells.