### For Research Use Only

# LATS1 Monoclonal antibody

Catalog Number:66569-1-lg Featured Product

2 Publications

BC015665

9113

GeneID (NCBI):

**UNIPROT ID:** 

Full Name:

Q6PJG3



**Basic Information** 

Catalog Number: 66569-1-lg Source: Mouse

lgG1 Immunogen Catalog Number:

AG11140

Isotype:

LATS, large tumor suppressor, homolog 1 (Drosophila)

GenBank Accession Number:

Calculated MW: 15 kDa, 127 kDa Observed MW: 140-150 kDa, 120 kDa **Purification Method:** 

Protein G purification

CloneNo.: 2A8F1

Recommended Dilutions:

WB: 1:2000-1:10000

**Applications** 

**Tested Applications:** WB, ELISA

**Cited Applications:** 

Species Specificity:

human Cited Species: human

#### Positive Controls:

WB: T-47D cells, HeLa cells, HEK-293 cells, HepG2 cells, MCF-7 cells, K-562 cells, Jurkat cells

# **Background Information**

LATS1(Large tumor suppressor homolog 1) is also named as WARTS and belongds to the AGC Ser/Thr protein kinase family. The gene encodes a highly conserved (from fly to human) protein kinase that plays a crucial role in the  $prevention of tumor formation by controlling the progression of mitosis. The expression of both long (170 \, kDa) and$ short lats1 isoforms(120 kDa) in vertebrate retinal cells raises the possibility that these lats1 proteins may act as negative key regulators of the cell cycle each of them performing a unique role (PMID:15777619). In mammalian cells, LATS1 was phosphorylated in a cell cycle-dependent manner and complexed with CDC2 in early mitosis (PMID:9988268). LATS1 also can be detected as 120 kDa and 140-150 kDa, and play a key role in the regulation of Hippo pathway (PMID: 27940445).

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Liangmin Fu	40948085	Adv Sci (Weinh)	WB
Yufan Ying	38658974	Mol Cancer	WB

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage


## Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 66569-1-1g (LATS1 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



WB result of LATS1 antibody (66569-1-Ig; 1:300; incubated at room temperature for 1.5 hours) with sh-Control and sh-LATS1 transfected HepG2 cells.



HepG2 cells were subjected to SDS PAGE followed by western blot with 66569-1-1g (LATS1 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.