

For Research Use Only

GSTA1 Monoclonal antibody

Catalog Number: 66624-1-Ig **2 Publications**



Basic Information

Catalog Number: 66624-1-Ig	GenBank Accession Number: BC053578	Purification Method: Protein G purification
Size: 1500 µg/ml	GeneID (NCBI): 2938	CloneNo.: 1E1F4
Source: Mouse	UNIPROT ID: P08263	Recommended Dilutions: WB 1:5000-1:50000 IHC 1:2500-1:10000 IF/ICC 1:50-1:500
Isotype: IgG1	Full Name: glutathione S-transferase alpha 1	
Immunogen Catalog Number: AG6084	Calculated MW: 26 kDa	
	Observed MW: 26 kDa	

Applications

Tested Applications: IF/ICC, IHC, WB, ELISA	Positive Controls:
Cited Applications: WB	WB : pig liver tissue, human liver tissue, rat kidney tissue, mouse hepatocytes, human testis tissue, rat liver tissue, mouse liver tissue
Species Specificity: Human, mouse, rat, pig	IHC : human kidney tissue, human liver cancer tissue
Cited Species: human, mouse, pig	IF/ICC : HepG2 cells,
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0	

Background Information

Notable Publications

Author	Pubmed ID	Journal	Application
Haoxuan Ding	33683742	J Anim Physiol Anim Nutr (Berl)	WB
Jing Jiang	38791126	Int J Mol Sci	WB

Storage

Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




pig liver tissue were subjected to SDS PAGE followed by western blot with 66624-1-Ig (GSTA1 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours.




mouse liver tissue were subjected to SDS PAGE followed by western blot with 66624-1-Ig (GSTA1 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours.




rat liver tissue were subjected to SDS PAGE followed by western blot with 66624-1-Ig (GSTA1 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human kidney tissue slide using 66624-1-Ig (GSTA1 antibody) at dilution of 1:5000 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



human testis tissue were subjected to SDS PAGE followed by western blot with 66624-1-Ig (GSTA1 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using 66624-1-Ig (GSTA1 antibody) at dilution of 1:200 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Mouse IgG(H+L).