For Research Use Only

## WNT2 Monoclonal antibody

Catalog Number:66656-1-lg Featured Product 7 Publications





Basic Information	Catalog Number: 66656-1-Ig	GenBank Accession Number: BC029854		Purification Method: Protein A purification	
	Size: 1000 µg/ml	GenelD (NCBI): 7472		CloneNo.: 3H7B10	
	Source: Mouse Isotype: IgG1 Immunogen Catalog Number: AG25185	UNIPROT ID:Recommended Dilutions:P09544WB 1:5000-1:50000Full Name:IF/ICC 1:50-1:500wingless-type MMTV integration sitefamily member 2			
				Calculated MW: 40 kDa	
		Observed MW 36 kDa	Observed MW: 36 kDa		
		Applications	Tested Applications:		Positive Controls: WB : HeLa cells, HSC-T6 cells, Jurkat cells, RAW 264.7 cells, rat brain tissue, NIH/3T3 cells, mouse brain tissue, HEK-293 cells, MCF-7 cells
WB, IF/ICC, ELISA Cited Applications: WB, IF					
Species Specificity: Human, mouse, rat	IF/ICC : MCF-7 cells,				
Cited Species: human, mouse, rat					
Background Information	Wnt2 is a secreted glycoprotein that is one of the canonical Wnt ligands. The WNT gene family consists of structurally related genes which encode secreted signaling proteins. These proteins have been implicated in oncogenesis and in several developmental processes, including regulation of cell fate and patterning during embryogenesis. Wnt2 is known to directly regulate $\beta$ -catenin activity, the key player in proliferation and inflammation. Recently, studies have demonstrated that Wnt2 is overexpressed in various human cancers, including esophageal, gastric, colorectal, breast, lung, cervical, and malignant glioma.				
Notable Publications	Author	Pubmed ID	Journal	Application	
	Meizhong Peng	36237833	Int J Endocrinol	WB	
	Zewu Zhu	34724098	Cell Mol Life Sci	IF	
	Yuan Qu	30463708	J Surg Res	WB	
Storage	Storage: Store at -20°C. Stable for one yea Storage Buffer: PBS with 0.02% sodium azide an		73		

For technical support and original validation data for this product please contact: E: Proteintech-CN@ptglab.com T: 4006900926 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data





Various lysates were subjected to SDS PAGE followed by western blot with 66656-1-1g (WNT2 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated Lamin B1 Monoclonal antibody (HRP-66095) as loading control.

Immunofluorescent analysis of (-20°C Ethanol) fixed MCF-7 cells using 66656-1-1g (WNT2 antibody) at dilution of 1:100 and Alexa Fluor 488-Conjugated Goat Anti-Mouse IgG(H+L).