### For Research Use Only

# FKBP8 Monoclonal antibody

Catalog Number:66690-1-lg Featured Product

2 Publications



**Basic Information** 

Catalog Number: GenBank Accession Number: 66690-1-lg BC009966 GeneID (NCBI): Concentration: 1500 ug/ml 23770 **UNIPROT ID:** Source: Mouse Q14318 Isotype: Full Name:

lgG1 FK506 binding protein 8, 38kDa

Calculated MW: Immunogen Catalog Number:

AG1649 45 kDa Observed MW:

53 kDa

**Purification Method:** Protein G purification

CloneNo.: 1C1G12

Recommended Dilutions: WB 1:2000-1:10000 IHC 1:250-1:1000 IF/ICC 1:200-1:800

**Applications** 

**Tested Applications:** WB, IHC, IF/ICC, ELISA Cited Applications: WB, IF, CoIP Species Specificity: human, mouse **Cited Species:** 

human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: Jurkat cells, HEK-293 cells, HeLa cells, HepG2 cells, NIH/3T3 cells, RAW 264.7 cells

IHC: human hypothalamus tissue, mouse brain tissue

IF/ICC: A431 cells,

# **Background Information**

FK506 binding protein 8 (FKBP8), is a member of the immunophilin protein family, which play a role in immunoregulation and basic cellular processes involving protein folding and trafficking. FKBP8 does not seem to have PPlase/rotamase activity, which is different from other members of this family. The active form of FKBP8 may play a role in the regulation of apoptosis. FKBP8 has 3 isoforms produced by alternative splicing.

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Michael O Isei	39026868	bioRxiv	WB,IF
Suli Lv	35970393	J Biol Chem	ColP

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


## **Selected Validation Data**




Immunohistochemical analysis of paraffinembedded human hypothalamus tissue slide using 66690-1-Ig (FKBP8 antibody) at dilution of 1:500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Jurkat cells were subjected to SDS PAGE followed by western blot with 66690-1-1g (FKBP8 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



Various lysates were subjected to SDS PAGE followed by western blot with 66690-1-1g (FKBP8 antibody) at dilution of 1:0 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 66690-1-Ig (FKBP8 antibody) at dilution of 1:400 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed A431 cells using FKBP8 antibody (66690-1-lg, Clone: 1C1G12) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L), CL594-Phalloidin (red).