For Research Use Only

ATG5 Monoclonal antibody, PBS Only

Catalog Number:66744-1-PBS Featured Product



Purification Method:

Protein A purification

CloneNo.:

2D3B8

Basic Information

Catalog Number: 66744-1-PBS

Source: Mouse GenelD (NCBI): 9474

 Isotype:
 UNIPROT ID:

 IgG2a
 Q9H1Y0

 Immunogen Catalog Number:
 Full Name:

AG16685 ATG5 autophagy related 5 homolog (S. cerevisiae)

Calculated MW: 32 kDa Observed MW: 50-55 and 40-45 kDa

GenBank Accession Number:

Applications

Tested Applications: WB, IHC, Indirect ELISA Species Specificity: human, mouse, rat

Background Information

ATG5, also named as APG5L and ASP, belongs to the ATG5 family. It is required for autophagy. It plays an important role in the apoptotic process, possibly within the modified cytoskeleton. Its expression is a relatively late event in the apoptotic process, occurring downstream of caspase activity. Autophagy is a catabolic process for the autophagosomic-lysosomal degradation of bulk cytoplasmic contents. Formation of the autophagosome involves a ubiquitin-like conjugation system in which ATG12 is covalently bound to ATG5 and targeted to autophagosome vesicles. It mediates autophagosome-independent host protection. 66744-1-Ig antibody can recognize the ATG5-ATG12 complex (50-55 kDa) which can be truncated and generate a 40-45 kDa band. (PMID: 19783656, 25032862)

Storage


Storage:

Store at -80°C.

The product is shipped with ice packs. Upon receipt, store it immediately at -80°C Storage Buffer:

PBS only, pH7.3


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 66744-1-lg (ATG5 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 66744-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 66744-1-Ig (ATG5 antibody) at dilution of 1:300 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66744-1-PBS in a different storage buffer formulation.



WB result of ATG5 antibody (66744-1-lg; 1:2000; incubated at room temperature for 1.5 hours) with sh-Control and sh-ATG5 transfected HepG2 cells. This data was developed using the same antibody clone with 66744-1-PBS in a different storage buffer formulation.