For Research Use Only

## YTHDF1 Monoclonal antibody, PBS Only



**Purification Method:** 

Protein G purification

CloneNo.:

3A2H12

Catalog Number:66745-1-PBS

**Featured Product** 

**Basic Information** 

Catalog Number:

66745-1-PBS

Size: 1 mg/ml Source: Mouse

Isotype: lgG1

Immunogen Catalog Number:

AG11633

GenBank Accession Number:

BC050284 GeneID (NCBI):

54915 **UNIPROT ID:** 

Q9BYJ9

60 kDa

Full Name:

YTH domain family, member 1

Calculated MW: 559 aa, 61 kDa Observed MW:

**Applications** 

**Tested Applications:** 

WB,IP,Indirect ELISA,IHC

Species Specificity: Human, rat, mouse

**Background Information** 

YTHDF1, also named as YTH domain-containing family protein 1 or C20orf21, is a 559 amino acid protein, which localizes in the cytoplasm. YTHDF1 specifically recognizes and binds N6-methyladenosine (m6A)-containing mRNAs, and promotes mRNA translation efficiency. M6A is a modification present at internal sites of mRNAs and some non-coding RNAs and plays a role in the efficiency of mRNA splicing, processing and stability. YTHDF1 acts as  $a \ regulator \ of \ mRNA \ translation \ efficiency: promotes \ ribosome \ loading \ to \ m6A-containing \ mRNAs \ and \ interacts \ with$ translation initiation factors eIF3 (EIF3A or EIF3B) to facilitate translation initiation. YTHDF1 exists two isoform and calculated molecular weight of isoforms are 61 kDa and 21 kDa.

Storage


Storage:

Store at -80°C.


The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

Storage Buffer: PBS Only

## Selected Validation Data




WB result of YTHDF1 antibody (66745-1-lg; 1:2000; incubated at room temperature for 1.5 hours) with sh-Control and sh-YTHDF1 transfected HepG2 cells. This data was developed using the same antibody clone with 66745-1-PBS in a different storage buffer formulation.




Various lysates were subjected to SDS PAGE followed by western blot with 66745-1-lg (YTHDF1 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 66745-1-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 66745-1-lg (YTHDF1 antibody) at dilution of 1:2000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66745-1-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 66745-1-lg (YTHDF1 antibody) at dilution of 1:2000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66745-1-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 66745-1-lg (YTHDF1 antibody) at dilution of 1:2000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66745-1-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffinembedded mouse testis tissue slide using 66745-1-Ig (YTHDF1 antibody) at dilution of 1:2000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66745-1-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 66745-1-lg (YTHDF1 antibody) at dilution of 1:2000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66745-1-PBS in a different storage buffer formulation



Immunohistochemical analysis of paraffinembedded rat testis tissue slide using 66745-1-lg (YTHDF1 antibody) at dilution of 1:2000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66745-1-PBS in a different storage buffer formulation.



IP result of anti-YTHDF1 (IP:66745-1-Ig, 4ug; Detection:66745-1-Ig 1:2000) with Jurkat cells lysate 2000 ug. This data was developed using the same antibody clone with 66745-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 66745-1-Ig (YTHDF1 antibody) at dilution of 1:4000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (PH 9.0). This data was developed using the same antibody clone with 66745-1-PBS in a different storage buffer formulation.