For Research Use Only

## HSP27 Monoclonal antibody, PBS Only

Catalog Number:66767-1-PBS Featured Product



**Basic Information** 

Catalog Number:

GenBank Accession Number:

Purification Method: Protein G purification

66767-1-PBS

GeneID (NCBI):

CloneNo.:

Size: 1mg/ml

lgG1

3315 UNIPROT ID: P04792

Full Name:

BC012768

3E7A1

Source: Mouse Isotype:

heat shock 27kDa protein 1

Immunogen Catalog Number: AG27859

Calculated MW: 19-23 kDa

Observed MW: 27 kDa

Applications

**Tested Applications:** 

WB, IHC, IF, FC (Intra), Indirect ELISA

Species Specificity:

human, mouse, rat, zebrafish

**Background Information** 

HSPB1, also known as heat shock protein 27 (Hsp27), belongs to the small heat shock protein family which is induced in response to environmental challenges or/and developmental transitions. It is also an anti-apoptotic protein that plays crucial roles in tumorigenesis and cell survival and is reported to be an independent prognosis marker for cancer. Recently HSPB1 has been found to be a valuable marker for melanoma. In addition to the predicted 27 kDa, an extra 50-55 kDa representing dimeric form of HSPB1 may also be observed (21353161).

Storage


Storage:

Store at -80°C.

The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

Storage Buffer: PBS Only


## Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 66767-1-Ig (HSPB1 antibody) at dilution of 1:50000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 66767-1-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffinembedded human gliomas tissue slide using 66767-1-1g (HSPB1 antibody) at dilution of 1:2000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66767-1-PBS in a different storage buffer formulation.




1X10^6 HepG2 cells were intracellularly stained with 0.5 ug Anti-Human HSP27 (66767-1-lg, Clone:3E7A1) (red) labeled with FlexAble Coralite® Plus 555 Antibody Labeling Kit for Mouse IgG1 (KFA022), or 0.5 ug Control Antibody. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C). This data was developed using the same antibody clone with 66767-1-PBS in a different storage buffer formulation



Antibody staining on tissue sections of the zebrafish retina at 5 days post fertilisation (dpf) for Heatshock protein 27 (Hsp27;magenta); (#66767-1-lg) Dilution 1:200. Tissue fixed overnight in 4% PFA; DAPI, blue. Data generated by Natalia Jaroszynska in Professor Ryan MacDonald's lab, University College London, UK. This data was developed using the same antibody clone with 66767-1-PBS in a different storage buffer



WB result of HSP27 antibody (66767-1-lg; 1:60000; incubated at room temperature for 1.5 hours) with sh-Control and sh-HSP27 transfected HeLa cells. This data was developed using the same antibody clone with 66767-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human liver tissue slide using 66767-1-Ig (HSP27 antibody) at dilution of 1:8000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66767-1-PBS in a different storage buffer formulation.