For Research Use Only

COMP Monoclonal antibody

Catalog Number:66793-1-Ig



Purification Method:

Basic Information

Catalog Number: GenBank Accession Number: 66793-1-lg BC033676

 66793-1-Ig
 BC033676
 Protein G purification

 Concentration:
 GeneID (NCBI):
 CloneNo.:

 1500 ug/ml
 1311
 1D7A6

 Source:
 UNIPROT ID:
 Recommended Dilutions:

 Mouse
 P49747
 WB 1:500-1:2000

 Isotype:
 Full Name:
 IF/ICC 1:200-1:800

IgG1 cartilage oligomeric matrix protein

Immunogen Catalog Number: Calculated MW: 757 aa, 83 kDa
Observed MW:

100-130 kDa

Applications

Tested Applications: Positive Controls:

WB, IF/ICC, ELISA WB: pig cartilage tissue,

Species Specificity: IF/ICC : HepG2 cells, U2OS cells human, pig

Background Information

COMP is a secreted pentameric glycoprotein built from modular units and belongs to the thrombospondin protein family. COMP is expressed by hypertrophic chondrocytes and osteoblasts during endochondral ossification, and its expression is increased during fracture healing. COMP is involved in the assembly of collagen fibrils and other structural matrix components. COMP interacts with a number of cartilage ECM proteins, including fibronectin, collagen I, II IX, XII, and XIV, matrilins, as well as proteoglycans such as aggrecan and others. This antibody got 100-130 kDa maybe due to glycosylation.

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



pig cartilage tissue were subjected to SDS PAGE followed by western blot with 66793-1-1g (COMP antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using COMP antibody (66793-1-Ig, Clone: 1D7A6) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L), CL594-Phalloidin (red).



Immunofluorescent analysis of (-20°C Methanol) fixed U2OS cells using COMP antibody (66793-1-lg, Clone: 1D7A6) at dilution of 1:400 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L).