## For Research Use Only

## Cytokeratin 16 Monoclonal antibody, PBS Only

www.ptglab.com

**Purification Method:** 

CloneNo.:

2H4D8

Protein A purification

Catalog Number: 66802-1-PBS

**Featured Product** 

**Basic Information** 

Catalog Number:

66802-1-PBS

Size: 1mg/ml

Source: Mouse Isotype: lgG1

Immunogen Catalog Number:

AG11240

GenBank Accession Number:

BC039169 GeneID (NCBI):

3868

**UNIPROT ID:** P08779 Full Name: keratin 16

Calculated MW: 473 aa, 51 kDa

Observed MW: 51 kDa

**Applications** 

**Tested Applications:** WB, IHC, IF/ICC, ELISA Species Specificity:

human

**Background Information** 

Keratins are a large family of proteins that form the intermediate filament cytoskeleton of epithelial cells, which are classified into two major sequence types. Type I keratins are a group of acidic intermediate filament proteins, including K9-K23, and the hair keratins Ha1-Ha8. Type II keratins are the basic or neutral courterparts to the acidic type I keratins, including K1-K8, and the hair keratins, Hb1-Hb6. Keratin 16 is a type I cytokeratin. It is paired with  $keratin\,6\,in\,a\,number\,of\,epithelial\,tissues, including\,nail\,bed, esophagus, tongue, and\,hair\,follicles.$ 

Storage

Storage:

Store at -80°C.


The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

Storage Buffer: PBS Only


## Selected Validation Data




A431 cells were subjected to SDS PAGE followed by western blot with 66802-1-lg (Cytokeratin 16 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 66802-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 66802-1-lg (Cytokeratin 16 antibody) at dilution of 1:4000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66802-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 66802-1-lg (Cytokeratin 16 antibody) at dilution of 1:4000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66802-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (-20°C Ethanol) fixed A451 cells using Cytokeratin 16 antibody (66802-1-lg, Clone: 2H4D8) at dilution of 1:400 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L). This data was developed using the same antibody clone with 66802-1-PBS in a different storage buffer formulation.

Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 66802-1-lg (Cytokeratin 16 antibody) at dilution of 1:8000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66802-1-PBS in a different storage buffer formulation.