For Research Use Only

VE-cadherin/CD144 Monoclonal antibody

Proteintech®
Antibodies | ELISA kits | Proteins
www.ptglab.com

Catalog Number:66804-1-lg 34 Publications

Basic Information

Catalog Number:

66804-1-Ig

NM_001795

Concentration:

1500 ug/ml

Source:

WNIPROT ID:

Mouse

P33151

Isotype:

GenBank Accession Number:

NM_001795

GeneID (NCBI):

1003

UNIPROT ID:

Full Name:

IgG1 cadherin 5, type 2 (vascular endothelium)

Immunogen Catalog Number: endothelium)
AG27501 Calculated MW: 88 kDa

Observed MW: 125 kDa, 100 kDa Purification Method:

Protein A purification

CloneNo.: 4F9B10

Recommended Dilutions: WB 1:1000-1:6000

IHC 1:100-1:400 IF-P 1:200-1:800 IF/ICC 1:750-1:3000

Applications

Tested Applications: WB, IHC, IF-P, ELISA Cited Applications: WB, IHC, IF Species Specificity: human

Cited Species: human Positive Controls:

WB: human placenta tissue,

IHC: human breast cancer tissue, human tonsillitis

tissue, human placenta tissue IF-P: human placenta tissue, IF/ICC: HUVEC cells,

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Background Information

Cadherins are a family of transmembrane glycoproteins that mediate calcium-dependent cell-cell adhesion and play an important role in the maintenance of normal tissue architecture. Vascular endothelial cadherin (VE-cadherin), also known as Cadherin-5 (CDH5) or CD144, is a member of the type II classical cadherin family of cell adhesion proteins (PMID: 21269602). VE-cadherin is expressed specifically in endothelial cells and mediates homophilic adhesion in the vascular endothelium (PMID: 1522121; 8555485; 21269602). VE-cadherin plays a role in the organization of lateral endothelial junctions and in the control of permeability properties of vascular endothelium (PMID: 1522121). VE-cadherin has also been shown to be required for angiogenesis (PMID: 16473763; 18162609).

Notable Publications

Author	Pubmed ID	Journal	Application
Xiaoyi Zhang	36131066	Cancer Gene Ther	WB
Kexin Ma	32961493	Ecotoxicol Environ Saf	
Min Zhang	33173719	Adv Sci (Weinh)	

Storage

Storage

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage


For technical support and original validation data for this product please contact: T: 4006900926 E: Proteintech-CN@ptglab.com W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




human placenta tissue were subjected to SDS PAGE followed by western blot with 66804-1-lg (VE-cadherin antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 66804-1-1g (VE-cadherin antibody) at dilution of 1:400 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 66804-1-1g (VE-cadherin antibody) at dilution of 1:400 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed human placenta tissue using VE-cadherin antibody (66804-1-Ig, Clone: 4F9B10) at dilution of 1:400 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L).



Immunofluorescent analysis of un-fixed HUVEC cells using VE-cadherin/CD144 antibody (66804-1-lg, Clone: 4F9B10) at dilution of 1:1500 and Multi-rAb CoraLite® Plus 594-Goat Anti-Mouse Recombinant Secondary Antibody (H+L) (Cat.NO. RGAM004).