## For Research Use Only

# PRMT2 Monoclonal antibody

Catalog Number:66885-1-lg 6 Publications



**Basic Information** 

Catalog Number: GenBank Accession Number: 66885-1-lg BC000727

 Size:
 GeneID (NCBI):
 CloneNo.:

 1800 μg/ml
 3275
 1F1B9

Source:UNIPROT ID:Recommended Dilutions:MouseP55345WB 1:1000-1:6000Isotype:Full Name:IHC 1:500-1:2000IgG2aprotein arginine methyltransferase 2IF/ICC 1:200-1:800

Immunogen Catalog Number: Calculated MW:

AG1806 49 kDa

Observed MW: 45-50 kDa

**Applications** 

**Tested Applications:** 

WB, IHC, IF/ICC, ELISA

Cited Applications:

WB, IHC, IF

Species Specificity:

Human, mouse, rat

Cited Species:

human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval antigen retrieval with a trace buffer at 16.00

with citrate buffer pH 6.0

Positive Controls:

WB: SKOV-3 cells, HeLa cells, rat heart tissue, LNCaP

**Purification Method:** 

Protein A purification

cells, Jurkat cells, 4T1 cells

IHC: human thyroid cancer tissue,

IF/ICC : HeLa cells,

## **Background Information**

PRMT2 (also known as HRMT1L1) is a member of the arginine methyltransferase family which catalyzes arginine methylation and regulates diverse cellular processes, including transcription, translation, DNA repair, and RNA processing. Recently PRMT2 has been identified as a pro-tumorigenic factor in malignant gliomas.

### **Notable Publications**

Author	Pubmed ID	Journal	Application
Yizhen Tian	34919946	Toxicol Appl Pharmacol	WB
Qingqing Zhang	35470570	Basic Clin Pharmacol Toxicol	WB
Julie Bourassa	39346878	ACS Omega	WB

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


## **Selected Validation Data**




SKOV-3 cells were subjected to SDS PAGE followed by western blot with 66885-1-1g (PRMT2 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human thyroid cancer tissue slide using 66885-1-Ig (PRMT2 antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Methanol) fixed HeLa cells using PRMT2 antibody (66885-1-Ig, Clone: 1F 1B9) at dilution of 1:400 and CoraLite® 488-Conjugated Goat Anti-Mouse IgG(H+L).



Immunohistochemical analysis of paraffinembedded human thyroid cancer tissue slide using 66885-1-Ig (PRMT2 antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).