For Research Use Only

Alpha Actinin Monoclonal antibody, PBS PONLY

Catalog Number: 66895-1-PBS



Basic Information

Catalog Number: 66895-1-PBS

Isotype: IgG2b BC015766

GenBank Accession Number:

Source: GenelD (NCBI): Mouse 87

UNIPROT ID: P12814

Immunogen Catalog Number: AG28383

actinin, alpha 1

Full Name:

Calculated MW: 103 kDa Observed MW: 100-105 kDa Purification Method: Protein A purification

CloneNo.: 1E2E1

Applications

Tested Applications:

WB, IHC, IF/ICC, FC (Intra), Indirect ELISA

Species Specificity:

human, mouse, rat, pig, rabbit

Background Information

Alpha Actinins are highly conserved actin-binding proteins that form antiparallel homodimers with the actin-binding domains on each end of the molecule, allowing crosslinking of actin molecules. There are four alpha actinin isoforms identified: two ubiquitously expressed cytoskeletal isoforms (ACTN1 and ACTN4) and two striated muscle-specific sarcomeric isoforms (ACTN2 and ACTN3). ACTN1 is also alternatively spliced to form smooth muscle or brain specific isoforms. This antibody recognize endogenous ACTN1, while it may cross-react with ACTN2 and ACTN4.

Storage


Storage

Store at -80°C.

The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

Storage Buffer: PBS only, pH7.3


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 66895-1-Ig (a-Actinin antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 66895-1-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffinembedded mouse heart tissue slide using 66895-1-Ig (alpha Actinin antibody) at dilution of 1:1000 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66895-1-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffinembedded mouse heart tissue slide using 66895-1-1g (alpha Actinin antibody) at dilution of 1:1000 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66895-1-PBS in a different storage buffer formulation.




1X10^6 A431 cells were intracellularly stained with 0.4 ug Anti-Human Alpha Actinin (66895-1-lg, Clone:1E2E1) and CoraLite® 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L) at dilution 1:1000 (red), or 0.4 ug Mouse IgG2b Isotype Control (MPC-11) (65128-1-lg, Clone: MPC-11) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer. This data was developed using the same antibody clone with 66895-1-PBS in a different storage buffer



Various lysates were subjected to SDS PAGE followed by western blot with 66895-1-lg (Alpha Actinin antibody) at dilution of 1:50000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 66895-1-PBS in a different storage buffer formulation.



Various lysates were subjected to SDS PAGE followed by western blot with 66895-1-lg (Alpha Actinin antibody) at dilution of 1:50000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 66895-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (-20°C Methanol) fixed C2C12 cells using Alpha Actinin antibody (66895-1-lg, Clone: 1E2E1) at dilution of 1:400 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L). This data was developed using the same antibody clone with 66895-1-PBS in a different storage buffer formulation.